

Caregiver perspectives on the long-lasting impact of the COVID-19 pandemic on children with cerebral palsy in Johannesburg, South Africa

Skye Nandi Adams , Razina Bhorat, Aneesah Moosa

To cite: Adams SN, Bhorat R, Moosa A. Caregiver perspectives on the long-lasting impact of the COVID-19 pandemic on children with cerebral palsy in Johannesburg, South Africa. *BMJ Paediatrics Open* 2024;8:e002617. doi:10.1136/bmjpo-2024-002617

Additional supplemental material is published online only. To view, please visit the journal online (<https://doi.org/10.1136/bmjpo-2024-002617>).

Received 4 March 2024
Accepted 5 June 2024



© Author(s) (or their employer(s)) 2024. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

Department of Speech Pathology and Audiology, School of Human and Community Development, University of the Witwatersrand, Johannesburg, South Africa

Correspondence to
Dr Skye Nandi Adams; skye.adams@wits.ac.za

ABSTRACT

Background The COVID-19 pandemic exacerbated challenges faced by children with cerebral palsy (CP), including limited access to therapy services, financial strain and disruptions in schooling and social activities. However, the specific long-lasting impacts of the pandemic on families of children with CP in the South African context remain underexplored.

Aim To explore the long-lasting impact of the COVID-19 pandemic on children with CP in South Africa.

Method A qualitative exploratory approach was used. 14 caregivers of 12 children with CP (aged 4–12) were recruited from various CP-specific schools and organisations in urban Johannesburg, South Africa. Individual semistructured interviews were conducted, and each interview was audio recorded, transcribed verbatim and analysed using inductive thematic analysis.

Results Children experienced significant changes to their physical and emotional well-being during the pandemic that had long-lasting effects on their added weight gain and activities of daily living. Many children experienced regressions during the lockdown due to the closure of schools and therapy centres. However, increased screen time observed among children with CP during the pandemic yielded unexpected positive outcomes, such as the improvement of technological skills and enhanced confidence through activities like vlogging.

Implications The pandemic has had long-lasting impacts on children with CP and addressing the multifaceted challenges faced by children with CP and their families in the post-COVID-19 era requires coordinated efforts from all stakeholders to ensure the holistic well-being and inclusion of this vulnerable population. Further research is warranted to assess the long-term impacts of the pandemic and evaluate the effectiveness of interventions aimed at mitigating its effects on this vulnerable population.

INTRODUCTION

In March 2020, the WHO declared the COVID-19 outbreak a global public health emergency. This prompted various containment measures worldwide, including lockdowns, social distancing and isolation, aimed at curbing the virus's spread. South Africa implemented its lockdown from March 2020

WHAT IS ALREADY KNOWN ON THIS TOPIC

⇒ Children with cerebral palsy (CP) faced significant challenges during the COVID-19 pandemic, and many of these challenges have continued postpandemic.

WHAT THIS STUDY ADDS

⇒ This study adds valuable insights into the experiences of caregivers of children with CP in Johannesburg, South Africa, transitioning back post-COVID-19 lockdown. It identifies significant challenges faced by caregivers and their families, including limited access to therapy services, financial strain and food insecurity.

HOW THIS STUDY MIGHT AFFECT RESEARCH, PRACTICE OR POLICY

⇒ The implications of this study extend to research, practice and policy in several ways. First, the findings underscore the need for comprehensive support measures for families of children with CP in the post-COVID-19 era, including accessible school and therapy services, financial assistance programmes and nutritious food provision. Healthcare professionals and educators can use these insights to adapt their practices and provide remote therapy and educational support while promoting healthy lifestyles for children with CP. Additionally, policy-makers can use these findings to develop targeted interventions and policies aimed at mitigating the impacts of the pandemic on vulnerable populations, ultimately improving the well-being and quality of life of children with CP and their families. Lastly, the findings of this study should serve as foundational research for future studies to develop interventions for caregivers of children with CP.

to April 2022, halting all essential services, including schooling and rehabilitation.¹ This period presented challenges for all individuals, with heightened difficulties experienced by those with disabilities.

Research indicates that the lockdown had a significant impact on children with cerebral palsy (CP).^{2–4} Disruptions in access to

rehabilitative services, setbacks in educational and developmental progress, and increased strain on caregivers were evident.^{3–5} Consequently, many children with CP suffered adverse effects on their physical, mental and psychological health.^{2,6} However, the long-term ramifications of COVID-19 remain uncertain, particularly in the South African context, where unique challenges may exacerbate the difficulties faced by children with CP and their caregivers.

Although the national state of disaster related to COVID-19 in South Africa has ended, children with CP and their families continue to grapple with challenges stemming from the pandemic's long-term impacts. These effects are multifaceted, encompassing various aspects such as public health, economic stability and social dynamics.^{7,8} The prolonged aftermath of the pandemic may exacerbate existing inequalities in healthcare and support services, further impacting the overall well-being and quality of life for children with CP and their families. Addressing the unique needs of this vulnerable population is crucial, requiring continuous and appropriate care throughout the postpandemic period. Therefore, this study aims to explore the long-term impact of the COVID-19 pandemic on children with CP and their families in South Africa, informing interventions and support systems to mitigate adverse outcomes.

METHOD

An exploratory qualitative research design was employed. Qualitative data were gathered via semistructured interviews were conducted with caregivers of children with CP after the COVID-19 pandemic from June to August 2023.

PARTICIPANTS

The researchers compiled a list of special education schools and organisations catering to the needs of children with CP across Johannesburg to facilitate participant recruitment. Although 10 sites were initially approached, only 6 responded and were included in the study. Subsequently, participant information letters were distributed by the schools/organisations to all eligible individuals within their networks, inviting them to contact the researchers if interested in participating. We were unable to determine the exact number of emails sent because these were distributed by the schools/organisations. However, only 14 participants responded to the call.

Participants were purposively sampled based on the following inclusion criteria: caregivers of a child with a (1) diagnosis of CP; (2) between the ages of 4 and 12 years of age, (3) ability to speak/read/understand English; (3) to be living in South Africa between March 2020 and April 2022. The age range for the children was selected to approximate school-aged individuals while accounting for the heterogeneity in children with CP. This decision also considered the varied organisations working with children across different age groups.

PROCEDURE

Each participant was required to complete a demographic questionnaire, followed by a semistructured interview guided by open-ended questions and probes. The interview guide aimed to elicit the long-lasting impact of the COVID-19 pandemic on children with CP in South Africa, from the perspective of their caregiver. The focus was on the continued challenges, benefits, considerations and any additional support they might require in this context. The guide (online supplemental material 1) allowed flexibility for participants to freely express their thoughts and experiences and was developed by the researchers based on the study objectives. Prior to the main study, the questionnaire and interview guide underwent testing on two mothers, with no modifications made following the pilot interviews.

Interested participants were provided with further information on the study using the participant information sheet. All participants provided signed informed consent. Demographic information was collected prior to the interview. Semistructured interviews were conducted either virtually through Zoom (n=9) or face to face (n=5). For face-to-face interviews, COVID-19 protocols were observed, and suitable meeting times were arranged. Caregivers underwent one interview, lasting approximately 1 hour each (range: 22–48 min). To ensure a comprehensive understanding of the caregiving experience within families of children with CP, multiple caregivers were included in some families. This decision was informed by the recognition of the diverse roles caregivers play in supporting children with CP, including grandparents and fathers, whose perspectives are often under-represented in disability research, particularly in the South African context.^{9,10} By intentionally including multiple caregivers, such as grandmothers and fathers, the study aimed to address this limitation and capture a more diverse range of experiences. Therefore, following the initial caregiver interview, participants were asked if any other family caregiver would like to participate in the interviews. Two additional interviews took place. All interviews were audio recorded and transcribed verbatim. To prioritise anonymity and confidentiality, personal details, including names, were excluded from the transcripts.

DATA ANALYSIS

The Braun and Clarke thematic analysis was conducted in several sequential steps.¹¹ In the initial step, the audio data from the interviews were transcribed, and the dataset was read and re-read by researchers (RB, AM and SNA). Notes were taken to identify patterns within the data, including similarities between topics discussed in the interviews. The data were then organised into meaningful groups based on identified patterns. This involved grouping similar topics expressed by caregivers and generating codes. Themes found within the data were documented, and relationships between the initial codes were identified. This was done independently by

all authors (RB, AM and SNA) and a consensus was then decided on the list of codes. The themes were then finalised by ensuring the themes had sufficient supporting data, involved collapsing overlapping themes, and refining certain codes and themes. Researchers collaborated to assess data adequacy and refine thematic structures.

A comprehensive review of the data was undertaken and themes were identified. All researchers are speech-




Figure 1 Biopsychosocial framing of children with CP's experience postlockdown. CP, cerebral palsy.

public healthcare¹⁴ and many older children experience a gap in rehabilitation and support if they are unable to access services privately or through their school.

Participant 2 and participant 3 reiterated the delay in finding a suitable school for their child, which exacerbated the regression, stating, 'So she did get delayed on that aspect that COVID did delay it because we might have found the school earlier' (Participant 2). Participant 3 added that during COVID-19 their daughter made no progress and would 'not move, just sit in one place, we had no support on what to do, how to treat her, speech, or physio, or just being more social', when they tried to enrol her in a schools post-COVID they were told that the school was unable to handle her and that she was 'too chaotic'. They are now home-schooling her. Participant 3 further stated that 'I'm sure if we found the school at the time, she would have made progress and been able to go to school'. Participant 7 had a similar experience where she was told to take her child for therapy at school but he was not getting any therapy at school as the physiotherapist no longer worked there after COVID-19. She noted that, 'Access to medical is a big problem even after COVID. All he has is a unabridged birth certificate, and they classify him as an undocumented child at

seven years old. He is stiff, all the muscles are stiff. Worse than before, he can't move them. He is in pain, crying. Pain all over and there is nothing I can do. He's not treated. He's sitting at home'. Access to school and therapy continues to be an issue for many families resulting in continued difficulties that have still not been resolved.

Exposure to infection postlockdown

Caregivers also reported on the fact that many of them were very cautious during COVID and their children did not get sick. However, since the lockdown has ended and people are no longer required to wear masks and sanitise their children have been very sick as described by participant 6, 'So after the lockdown, it was a relief, but she got very sick. She was very sick last year. She was sick from like January to December. She was sick almost every week. Yeah, with the flu and a cough. She had a cough that just couldn't go away. So during COVID she didn't really get sick. But afterwards, she got very sick'. Participant 7 reported how their child's continued sickness meant that they were out of school for even longer 'She'd go to school when she wasn't sick. And that was like the only time, in a month, she was going to school for a week,

or, you know, two weeks at the most. But in every month, she was never attending school for five days.'

Increased weight gain and inability to participate in activities of daily living

Six caregivers reported that their child experienced increased weight gain during the pandemic due to the lockdown restrictions, particularly affecting those who relied on public transport and were in wheelchairs. Participant 1 described how their child's limited mobility resulted in being confined to one place, leading to unnecessary weight gain, *'And also being disabled in one condition, one place, not moving from bedroom to sitting room, no bathroom, no going out in wheelchair, yes, that affects him and affects us, his health in a way that he gained unnecessary weight'*. Moreover, the weight gain persisted even after the lockdown ended, with caregivers struggling to help their children lose the extra weight. Participant 8 highlighted the ongoing difficulties, stating, *'The weight gain affects him and affect us. His health in a way that he gained unnecessary weight that I am fighting to lose, and there is no chance. It is also difficult to change his pampers [nappies]'*. The caregiver also mentioned the need to seek assistance from a dietitian to address the weight issue, underscoring the ongoing efforts to manage the child's health and well-being, *'His weight in a way is something we are still working. Seeing a dietitian on how to bring his weight low [down]'*.

(Alleviated) food insecurity

A noteworthy finding was expressed by three caregivers, they expressed the increased expenses during the lockdown due to having to cook food for their child throughout the day. They reported improved experiences since their child is now able to eat at school as stated by participant 13, *'during lockdown the shops were not getting lots of stock in the township so I was worried I would not be able to provide for my children, I used to feel so useless. Now at least food during the day they get at school so I don't have to budget for that extra cost. Sometimes I would go hungry just so that my children can eat.'* This highlights food insecurity in South Africa and the important impact that school has on providing nutritious meals to children at public schools. Participant 1 reported similar experiences stating, *'lockdown was also very expensive because everyone was home and now you have to see to all their meals because they would get breakfast and lunch at school and now those meals were added to my responsibility so we struggled a bit with money and food and internet. So now I'm happy the children are back to school so I don't have to worry so much about food money anymore and I know they are able to eat.'*

However, it is important to note that even though their children are now able to have access to food postlock-

in increased weight gain, regressions, muscle stiffness and heightened vulnerability to infection postpandemic. Studies have shown that weight gain in children with CP can lead to difficulties in mobility and independent functioning, underscoring the significance of addressing this issue.²⁰ Increased weight gain and muscle stiffness are directly correlated with reduced ambulatory ability, greater functional impairment and reduced independence.²¹ Without proper intervention, these conditions may worsen and become irreversible. Therefore, there is a pressing need for a shift in hospital policies in South Africa. While care for children aged 5 and below is prioritised, there is a critical gap in services for children with CP who require rehabilitative care beyond this age. This gap becomes even more pronounced in the wake of the COVID-19 pandemic, which has exacerbated the need for additional therapy and support and to mitigate the long-term impacts of the pandemic.

Existing evidence highlights how children with CP may benefit from formal education.²² However, many caregivers in the study reported the challenges with finding appropriate school placement or therapy post-COVID-19, impacting on continued regressions and causing further problems with development and muscle stiffness. Even with South Africa's inclusive education policy, many schools do not have capacity and are not prioritising education for children with disabilities or do not provide therapeutic services at the school, which majority of children with CP will require.²³ Many caregivers experience challenges in the public healthcare system where their children are no longer prioritised for therapy but are unable to access these services elsewhere.²⁴ This suggests the need to operationalise educational policies that make formal education more accessible to all, including children with CP, particularly post-COVID-19 knowing the regressions many children experienced, and to assist with the provision of therapeutic services at CP schools in the country.

PSYCHOLOGICAL FACTORS

This study highlighted that children with CP are at a continued risk for psychological and emotional difficulties. Research has also indicated that children with neurodevelopmental disabilities are at a higher risk for continued psychological challenges such as increased anxiety and depression postpandemic.^{25 26} Additionally, many caregivers have also experienced continued emotional strain, which may impact their ability to adequately care for their children without appropriate support.^{25 27} Therefore, it is important that psychological support is continued and monitored for children with CP and their caregivers.

One positive aspect regarding children's well-being was the ways in which online platforms like YouTube provided avenues for empowerment and social connection for children with CP, emphasising the importance of leveraging digital resources.^{28–30} However, it is crucial to

acknowledge that this positive outcome is not accessible to all families, as those in the study all access private health-care services only and had access to additional resources, technology and services not afforded to all participants. This underscores the need for policy changes to ensure equitable access to digital resources, especially for individuals with disabilities, to enhance their overall well-being and further research is required to understand the innovative ways in which technology can be used to provide emotional and psychological support to children with CP in South Africa and other low-resource settings. Future research could explore the utilisation of artificial intelligence to support socioemotional and communicative functioning.

SOCIAL FACTORS

Financial strain and food insecurity emerged as significant concerns among caregivers, underscoring the broader social determinants of health affecting families of children with CP. In the current study, families experienced food insecurity, although this was alleviated for the children as they have gone back to school, this continues to be an issue for many caregivers and families. School feeding programmes played a critical role in addressing food insecurity, highlighting the importance of educational institutions in supporting vulnerable populations.³¹ However, the financial burden on families remains substantial, and many South Africans have reported on the continued socioeconomic difficulties, which have disproportionately affected those who are already living in poverty or with disabilities which has intensified and increased inequality, unemployment, hunger and food insecurity.^{32–34}

Notably, families of children with CP, already a vulnerable population continue to experience challenges with restricted access to healthcare, public services and supports.³ Additionally, those relying on public transportation have faced additional challenges postpandemic, highlighting the intersecting issues of disability, socioeconomic disadvantage and transportation inequality. In South Africa, there are vast inequalities in those living with socioeconomic disadvantages and their access to resources and services. Majority of South Africans use minibus taxi's, however, these are not accommodating for wheelchair users where often persons are not able to bring their wheelchair onto the taxi or being charged an additional fare.¹⁸ As a result, persons with disabilities continue to experience social and economic exclusion.³⁵ This is noteworthy as majority of children in this study levels IV and V on the GMFCS requiring wheelchairs. The lack of accessible transportation and infrastructure exacerbates these difficulties, particularly for families with limited financial means who rely on public services. Therefore, even though these challenges are not new, they are continuous and have been exacerbated and there is a call for accessible, sustainable and inclusive

transport provision to address the needs of children with disabilities.

The study had several limitations. First, it focused on a small geographical area, limiting the experiences to caregivers in Johannesburg. Second, the study did not specifically target rural populations, which are under-represented in the literature and often experience barriers to accessing healthcare services. Third, due to the unique sociocultural context of South Africa, including cultural perceptions surrounding disability and access to healthcare, may have influenced caregiver experiences in ways that differ from other settings. Lastly, although various caregivers were included, the sample was predominantly mothers, reflecting a common trend in research where mothers are often the primary caregivers. This highlights the need for a more inclusive approach in future research, such as those from fathers and grandparents. Future studies should aim for a broader representation of families from different countries and contexts postpandemic, considering the long-term experiences of participants.

CONCLUSION

In conclusion, the findings of this study underscore critical issues concerning the long-lasting impact of COVID-19 on children with CP in South Africa. Specifically, the study highlights challenges related to physical care for children with CP, access to health information and educational needs. Addressing these challenges requires comprehensive and inclusive approaches that prioritise the needs of this vulnerable population, especially those facing socioeconomic disadvantage and systemic barriers to access and inclusion. Efforts to enhance support systems, promote digital literacy and address structural inequalities are crucial in ensuring the holistic well-being of children with CP and their families in the postpandemic era.

Acknowledgements The authors would like to thank all the caregivers who participated in this study, shared their experiences and made this research possible.

Contributors SNA: conceptualisation, methodology, resources, project administration, data curation, writing—original draft preparation. RB and AM: investigation, project administration, resources. All authors approved the final manuscript. SNA was the guarantor and accepted full responsibility for the work and/or the conduct of the study, had access to the data, and controlled the decision to publish.

Funding The authors thank the Consortium for Advanced Research Training in Africa (CARTA) for providing financial assistance for the publication of this manuscript.

Competing interests No, there are no competing interests.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Consent obtained directly from patient(s).

Ethics approval This study involves human participants and was approved by the Human Research Ethics Committee (HREC Non-Medical) (STA_2023_49). All participants provided written informed consent. Participants gave informed consent to participate in the study before taking part.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data are available on reasonable request.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Skye Nandi Adams <http://orcid.org/0000-0002-6388-0960>

REFERENCES

- Mbunge E. Integrating emerging technologies into COVID-19 contact tracing: opportunities, challenges and pitfalls. *Diabetes Metab Syndr* 2020;14:1631–6.
- Cankurtaran D, Tezel N, Yildiz SY, et al. Evaluation of the effects of the COVID-19 pandemic on children with cerebral palsy, caregivers' quality of life, and caregivers' fear of COVID-19 with telemedicine. *Ir J Med Sci* 2021;190:1473–80.
- Adams SN, Moi S. Care for children with cerebral palsy during the COVID-19 pandemic: South African family caregiver perspectives. *Vulnerable Child Youth Stud* 2023;18:445–57.
- Pizzighello S, Uliana M, Martinuzzi M, et al. The perceived impact of COVID-19 pandemic on the children with cerebral palsy: the parents' perspective explored within the "6-F words" framework. *Child Adolesc Psychiatry Ment Health* 2023;17:24.
- Evangelou G, Adams SN. Tremendous burdens often unveil enormous gifts": the experiences of South African caregivers implementing speech and language teletherapy for children with cerebral palsy during COVID-19. *J Pediatr Rehabil Med* 2024;17:85–96.
- Bhaskar AR, Gad MV, Rathod CM. Impact of COVID pandemic on the children with cerebral palsy. *Indian J Orthop* 2022;56:927–32.
- Arndt C, Davies R, Gabriel S, et al. Covid-19 Lockdowns, income distribution, and food security: an analysis for South Africa. *Glob Food Sec* 2020;26:100410.
- Casale D, Posel D. Gender and the early effects of the COVID-19 crisis in the paid and unpaid economies in South Africa, 2020. Available: https://www.researchgate.net/profile/Daniela-Casale-3/publication/343008071_Gender_and_the_early_effects_of_the_COVID-19_crisis_in_the_paid_and_unpaid_economies_in_South_Africa/links/5f117e5392851c1eff1845ae/Gender-and-the-early-effects-of-the-COVID-19-cr [Accessed 1 Feb 2022].
- Phoenix M, Reitzel M, Martens R, et al. Reconceptualizing the family to improve inclusion in childhood disability research and practice. *Front Rehabil Sci* 2021;2:710580.
- Bogossian A, King G, Lach LM, et al. Unpacking father involvement in the context of childhood neurodisability research: a Scoping review. *Disabil Rehabil* 2019;41:110–24.
- Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006;3:77–101.
- Amankwa L. Creating protocols for trustworthiness in qualitative research. *J Cult Divers* 2016;23:121–7. Available: http://search.ebscohost.com/login.aspx?direct=true&profile=ehost&scope=site&auth=crawler&jrnl=10715568&AN=118362617&h=YOK6n55hIUxkNmQpioUdQ%2F9xJmtZwCsF93JZ52HGHIKn1bOgPRQBntkeCEsCW8nsCNcjTPMYs19EXbjXU%2F3Q%3D%3D&rl=c&casa_token=JtSY2IW9P80AAAAA:xF
- te Velde A, Morgan C, Novak I, et al. Early diagnosis and classification of cerebral palsy: an historical perspective and barriers to an early diagnosis. *J Clin Med* 2019;8:1599.
- Chetty T, Pillay A, Balakrishna Y, et al. Healthcare-associated infections drive antimicrobial prescribing in pediatric departments at three academic hospitals in South Africa. *Pediatr Infect Dis J* 2023;42:e283–9.
- Leonardi M, Raggi A, Grazzi L, et al. ICF Biopsychosocial model and burden of migraine. *J Headache Pain* 2015;16.

- 16 Carrington L, Hale L, Freeman C, *et al.* Family-centred care for children with Biopsychosocial support needs: a scoping review. *Disabilities* 2021;1:301–30.
- 17 Mwinbam MM, Suglo JN, Agyeman YN, *et al.* Original research: family caregivers' experience of care with a child with cerebral palsy: the lived experiences and challenges of caregivers in a resource-limited setting in northern Ghana. *BMJ Paediatr Open* 2023;7:e001807:1807..
- 18 McKinney EL, McKinney V, Swartz L. Access to Healthcare for people with disabilities in South Africa: bad at any time, worse during COVID-19 *S Afr Fam Pract (2004)* 2021;63:5226:e1–5..
- 19 Ned L, McKinney EL, McKinney V, *et al.* n.d. Experiences of vulnerability of people with disabilities during COVID-19 in South Africa authors. *South African Health Review* 24:135–42.
- 20 Mudge AJ, Thilak S, Wojciechowski EA, *et al.* The impact of being overweight on the mobility, temporal-spatial and Kinematic aspects of gait in children with cerebral palsy. *Obes Res Clin Pract* 2021;15:138–44.
- 21 Davids JR, Oeffinger DJ, Bagley AM, *et al.* Relationship of strength, weight, age, and function in ambulatory children with cerebral palsy. *J Pediatr Orthop* 2015;35:523–9.
- 22 Andrews C, Kakooza-Mwesige A, Almeida R, *et al.* Impairments, functional limitations, and access to services and education for children with cerebral palsy in Uganda: a population-based study. *Dev Med Child Neurol* 2020;62:454–62.
- 23 Engelbrecht P. Inclusive education: developments and challenges in South Africa. *Prospects* 2020;49:219–32.
- 24 Mushongera D, Zikhali P, Ngwenya P. A multidimensional poverty index for gauteng province, south africa: evidence from quality of life survey data. *Soc Indic Res* 2017;130:277–303.
- 25 Viola TW, Nunes ML. Social and environmental effects of the COVID-19 pandemic on children. *Jornal de Pediatria* 2022;98:S4–12.
- 26 Vadivelan K, Sekar P, Sruthi SS, *et al.* Burden of caregivers of children with cerebral palsy: an Intersectional analysis of gender, poverty, stigma, and public policy. *BMC Public Health* 2020;20:645.
- 27 Lima MBS, Cardoso V dos S, Silva SS da C. Parental stress and social support of caregivers of children with cerebral palsy. *Paidéia (Ribeirão Preto)* 2016;26:207–14.
- 28 Sultana A, Tasnim S, Hossain MM, *et al.* Digital screen time during the COVID-19 pandemic: a public health concern. *F1000Res* 2021;10:81.
- 29 Colley RC, Bushnik T, Langlois K. Exercise and screen time during the COVID-19 pandemic. *Health Rep* 2020;31:3–11.
- 30 Toombs E, Mushquash CJ, Mah L, *et al.* Increased screen time for children and youth during the COVID-19 pandemic. *Science Advisory Table* 2022;3:1–19.
- 31 Okeyo AP, Seekoe E, de Villiers A, *et al.* The food and nutrition environment at secondary schools in the Eastern Cape, South Africa as reported by learners. *Int J Environ Res Public Health* 2020;17:4038:1–18..
- 32 Hart TG, Davids YD, Rule S, *et al.* The COVID-19 pandemic reveals an unprecedented rise in hunger: the South African government was ill-prepared to meet the challenge. *Sci Afr* 2022;16:e01169.
- 33 Odeku KO. Socio-economic implications of COVID-19 pandemic in South Africa. *Academy of Entrepreneurship Journal* 2021;27:1–6. Available: https://search.proquest.com/openview/b62d402988183a667fb31f4df734ef61/1?pq-origsite=gscholar&cbl=29726&ca_sa_token=8UkupaGtns0AAAAA:zG0k6OCZ-yYUR6PbUyE3ISdLb-o9p0S7U8pFKLKvjryy-q_2cOBovAtrT6_TFKdV8wu_cMJrC-s
- 34 Devereux S, Hochfeld T, Karriem A, *et al.* School feeding in South Africa: what we know, what we don't know. 2018. Available: https://www.researchgate.net/profile/Abdulrazak-Karriem/publication/325828674_June_2018_School_Feeding_in_South_Africa_What_we_know_what_we_don't_know_what_we_need_to_know_what_we_need_to_do_Food_Security_SA_Working_Paper_Series_No_004_DST-NRF_Centre_of_Excellence_in_Food_Secur/links/5b282a8aa6fdcca0f09c42cf/June-2018-School-Feeding-in-South-Africa-What-we-know-what-we-dont-know-what-we-need-to-know-what-we-need-to-do-Food-Security-SA-Working-Paper-Series-No-004-DST-NRF-Centre-of-Excellence-in-Food-Se.pdf
- 35 Kett M, Cole E, Turner J. Disability, mobility and transport in low- and middle-income countries: a thematic review. *Sustainability* 2020;12:589.