

Corresponding author(s):	Houjie Liang
Last updated by author(s):	Jan 2, 2019

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

_				
C	ŀэ	Ηi	ct	icc

For all statistical analy	rses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a Confirmed	
☐ ☐ The exact sa	mple size (n) for each experimental group/condition, given as a discrete number and unit of measurement
A statement	on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
The statistical Only common	al test(s) used AND whether they are one- or two-sided tests should be described solely by name; describe more complex techniques in the Methods section.
A description	n of all covariates tested
A description	n of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
A full description AND variation	otion of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) in (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
For null hypo	othesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted as exact values whenever suitable.
For Bayesian	analysis, information on the choice of priors and Markov chain Monte Carlo settings
For hierarch	ical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
Estimates of	effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
Software and	code
Policy information abo	out <u>availability of computer code</u>
Data collection	CRCs microarray samples' raw data collected from Gene Expression Omnibus (GEO) directly. The dataset were normalized and summarized using robust multi-chip average (RMA) implemented in the R package affy(v1.52.0), batch effects were corrected using the ComBat method implemented in the R package SVA(v3.22.0).
Data analysis	SPSS(v13.0), StepMiner(v1.0) and Graphpad PRISM (v7.0), R package pheatmap(v1.0.8), and Gene Set Enrichment Analysis used java GSEA Desktop Application(v3.0) with the Molecular Signatures Database (v6.1)
	stom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. e deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about <u>availability of data</u>

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The data that support the findings of this study are available from the corresponding author upon reasonable request.

Field-spe	cific reporting
Please select the or	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
∑ Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences
For a reference copy of t	he document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf
Life scier	nces study design
All studies must dis	close on these points even when the disclosure is negative.
Sample size	The minimal sample size n of cell and animal experiments were determined by explanatory variable k , n>=k+1. the CRCs microarray samples collected from Gene Expression Omnibus (GEO) by following the subsequent criteria: (1) tumor and cell lines assayed on Affymetrix Human Genome U133 Plus 2.0 Array or Affymetrix Human GenomeU133A; (2) raw data of microarray are available; (3) microarray quality control within standards; (4) patients' clinical parameters are available, with 1537 samples. The human colon cancer tissue microarray collected from the surgery in our hospital with 432 samples were used for validation. All patients' samples are 10 times more than the covariates.
Data exclusions	The CRCs microarray samples collected from Gene Expression Omnibus were excluded by following criteria: (1)Stage I/IV patients samples;(2) without MMR state, Chemotherapy information.
Replication	Every figure states how many times each experiment had been repeated, an all the experiments were reliably reproduced
Randomization	The samples in cell and animal experiments were allocated into experimental groups randomly. As retrospective study we allocated the patients samples into 2 groups according to the MMR state, and used the StepMiner algorithm to stratify the MMR samples into into ABHD5high and ABHD5low subgroups according ABHD5 expression.
Blinding	Experiments were not performed blindly
We require information	g for specific materials, systems and methods on from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, ted is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.
	perimental systems Methods
n/a Involved in th	<u> </u>
Antibodies	
☐ Eukaryotic	cell lines
Palaeontol	ogy MRI-based neuroimaging
	d other organisms
	earch participants
Clinical dat	d .
Antibodies	
Antibodies used	All the antibodies have been described in Supplementary Methods.
Validation	Each primary antibody has been validated for the species and application, and the validation statements can be founded on the manufacturer's website.
Eukaryotic c	ell lines
Policy information	about <u>cell lines</u>
Cell line source(s	Sources of all the cell lines used is indicated in the methods section
Authentication	STR by source

Mycoplasma contamination

Commonly misidentified lines (See <u>ICLAC</u> register)

Yes, mycoplasma negative

NA

Animals and other o	rganisms
Policy information about studie	s involving animals; ARRIVE guidelines recommended for reporting animal research
Laboratory animals	The information of animals used is indicated in the methods section
Wild animals	NA
Field-collected samples	NA
Ethics oversight	All the animal studies have been approved by the Institutional Animal Care and Use Committee of Army Medical University.
Note that full information on the ap	proval of the study protocol must also be provided in the manuscript.
ChIP-seq	
Data deposition	
Confirm that both raw and	final processed data have been deposited in a public database such as GEO.
Confirm that you have dep	posited or provided access to graph files (e.g. BED files) for the called peaks.
Data access links May remain private before publication	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" documents, provide a link to the deposited data.
Files in database submission	Provide a list of all files available in the database submission.
Genome browser session (e.g. <u>UCSC</u>)	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.
Methodology	

Wiethodology	
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Cells were cultured, harvested by trypsin EDTA treatment. The cells were harvested and washed prior to stain. All cells were stained with Annexin v/7AAD.

Instrument

BD Accuri TM C6

Software Data were collected using BD facsdiva and analyzed using flowjo

Cell population abundance	IA .	
0 0,	Experiments were gated first by morphology to exclude cell debrees, then in case of not permeabilized cells by Annexin V or 7AAD negative.	
	t a figure exemplifying the gating strategy is provided in the Supplementary Information.	
Magnetic resonance i	imaging	
xperimental design		
Design type	Indicate task or resting state; event-related or block design.	
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.	
Behavioral performance measu	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).	
cquisition		
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.	
Field strength	Specify in Tesla	
Sequence & imaging parameter	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.	
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined	
Diffusion MRI Used	Not used	
reprocessing		
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).	
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.	
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.	
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).	
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.	
tatistical modeling & infer	ence	
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).	
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.	
Specify type of analysis: V	Whole brain ROI-based Both	
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.	
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).	
1odels & analysis		
n/a Involved in the study Functional and/or effectiv Graph analysis Multivariate modeling or		

Functional and/or effective connectivity

Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).

Graph analysis

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.