



Video

Retinectomy under air

Adam M. Hanif, Benjamin K. Young^{*}

Casey Eye Institute, Oregon Health & Science University, Portland, OR, USA

This video demonstrates the creation of an inferior retinectomy under air. Air may be an effective alternative to perfluorocarbon liquid for stabilizing the retina during retinectomy if performed incrementally.

Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

CRediT authorship contribution statement

Adam M. Hanif: Writing – review & editing, Writing – original draft, Conceptualization. **Benjamin K. Young:** Writing – review & editing, Supervision, Resources, Conceptualization.

Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.ajoc.2024.102113>.

^{*} Corresponding author.

E-mail address: youngbe@ohsu.edu (B.K. Young).

<https://doi.org/10.1016/j.ajoc.2024.102113>

Received 9 March 2024; Received in revised form 23 May 2024; Accepted 12 June 2024

Available online 31 July 2024

2451-9936/© 2024 Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).