## CORRECTION

Correction to: Readiness for advance care planning and related factors in the general population: a cross sectional study in Iran

Ali Askari[1], Hosein Mohammadi Roshan[2], Nasim Abbaszadeh[3], Mahmood Salesi[4], Seyed Morteza Hosseini[1], Mobina Golmohammadi[3], Salman Barasteh[2,5*], Omid Nademi[3], Razieh Mashayekh[3] and Mohammad Hossein Sadeghi[3]

Correction to: BMC Palliat Care 23, 167 (2024).
https://doi.org/10.1186/s12904-024-01496-2

Following publication of the original article [1], the author reported that the data in Table 2 in line with „Death Experience" were not correctly placed in the PDF but correct in the XML.

---

*Correspondence:
Salman Barasteh
s.barasteh@gmail.com
[1]Medicine, Quran and Hadith Research Center, Baqiyatallah University of Medical Sciences, Tehran, Iran
[2]Nursing Faculty, Baqiyatallah University of Medical Sciences, Tehran, Iran
[3]Student Research Committee, Baqiyatallah University of Medical Sciences, Tehran, Iran
[4]Chemical Injuries Research Center, Systems Biology and Poisonings Institute, Baqiyatallah University of Medical Sciences, Tehran, Iran
[5]Nursing Care Research Center, Clinical Sciences Institute, Baqiyatallah University of Medical Sciences, Tehran, Iran

The incorrect presentation is:

Table 2 Correlations between variables and RACP

Variable	Categories	low	high	P-value
Gender	Male	113(43.6%)	146(56.4%)	0.30
	Female	151(39.5%)	231(60.5%)	
Marital	Single	95(46.1%)	111(53.9%)	0.13
	Married	153(38.2%)	248(61.8%)	
	Death of Wife/ Divorced	16(47.1%)	18(52.9%)	
Income	High Satisfaction	19(31.7%)	41(68.3%)	0.21
	Average Satisfaction	134(40.7%)	195(59.3%)	
	Dissatisfied	111(44%)	141(56%)	
Live	Single	44(48.4%)	47(51.6%)	0.13
	With Family	220(40%)	330(60%)	
0.88	118(58.4%)	84(41.6%)	Yes	**Death Experience**
	No	180(41%)	259(59%)	
Caring Experience	Yes	135(41.3%)	192(58.7%)	0.95
	No	129(41.1%)	185(58.9%)	
Education	Diploma	55(42%)	76(58%)	0.00
	Bachelor's	192(45.2%)	233(54.8%)	
	Master's Degree/ Ph.D	17(20%)	68(80%)	
Age	40 >	191(44.7%)	236(55.3%)	0.01
	> 40	73(34.1%)	141(65.9%)	
Job situation	Employed	195(40.6%)	285(59.4%)	0.61
	Unemployed	69(42.9%)	92(57.1%)	

The correct presentation should be:

Table 2 Correlations between variables and RACP

Variable	Categories	Low	High	P-value
Gender	Male	113(43.6%)	146(56.4%)	0.30
	Female	151(39.5%)	231(60.5%)	
Marital	Single	95(46.1%)	111(53.9%)	0.13
	Married	153(38.2%)	248(61.8%)	
	Death of Wife/ Divorced	16(47.1%)	18(52.9%)	
Income	High Satisfaction	19(31.7%)	41(68.3%)	0.21
	Average Satisfaction	134(40.7%)	195(59.3%)	
	Dissatisfied	111(44%)	141(56%)	
Live	Single	44(48.4%)	47(51.6%)	0.13
	With Family	220(40%)	330(60%)	
Death Experience	Yes	84(41.6%)	118(58.4%)	0.88
	No	180(41%)	259(59%)	
Caring Experience	Yes	135(41.3%)	192(58.7%)	0.95
	No	129(41.1%)	185(58.9%)	
Education	Diploma	55(42%)	76(58%)	0.00
	Bachelor's	192(45.2%)	233(54.8%)	
	Master's Degree/Ph.D	17(20%)	68(80%)	
Age	40 >	191(44.7%)	236(55.3%)	0.01
	> 40	73(34.1%)	141(65.9%)	
job situation	Employed	195(40.6%)	285(59.4%)	0.61
	Unemployed	69(42.9%)	92(57.1%)	

Askari *et al. BMC Palliative Care*   (2024) 23:233

Page 3 of 3

The original article has been updated to correct the PDF.

Published online: 30 September 2024

Reference

1.   Askari A, Roshan HM, Abbaszadeh N, et al. Readiness for advance care planning and related factors in the general population: a cross sectional study in Iran. BMC Palliat Care. 2024;23:167. https://doi.org/10.1186/s12904-024-01496-2.

Publisher's note