

47!

**A report on
the Account Creation Improvement Project
and the Fellowship**

By Lennart Guldbrandsson

Table of contents

<u>Introduction.....</u>	4
<u>Overview of the project and the Fellowship.....</u>	4
Timeline.....	4
Participants and method.....	5
<u>The lay of the land.....</u>	6
The original account creation process.....	6
The "before" statistics.....	8
The surveys.....	
<u>Testing it live.....</u>	12
The lo ! "#uality tests.....	\$%
&ustom ' ser(signup.....	\$5
The high"#uality tests.....	\$6
(tep) and \$*.....	\$7
(tep %*.....	\$7
(tep +*.....	\$8
(tep 4*.....	\$8
The ne ! user bar template.....	\$
&category* , e ! - i . ipedians.....	\$\$
(tep) and \$*.....	%%
(tep %*.....	%%
(tep +*.....	%+
(tep 4*.....	%+
/ esults.....	.4
0 II account creation processes.....	.5
0 &P\$.....	.5
0 &P%.....	.5
0 &P+.....	.6
Total scores.....	.6
<u>Final thoughts.....</u>	28
Further research.....	%8
<u>Appendices.....</u>	29
Survey \$.....	%
Survey %.....	+()

2ist of 3 edia - i .i messages involved in the account creation process.....	+%
1unction that chec .s for available usernames.....	+4
Thanks.....	37



This report in a nutshell: More people would start editing if we changed the account

[Image source](#)

Introduction

- e made a bet after a meeting in a room on floor 6 in - i.imedia Foundation's offices in (an Francisco. It was me and I ran. (chulenborg plus - inifred Hilliff. The bet was for two bottles of good champagne. The question was how much we could manage to increase the number of people who started to edit after we had changed the account creation process. For the life of me I can't remember what - inifred said before we left our notes for safekeeping with :ryony ;ones but I remember distinctly that I ran. surprised us by saying that we could go up to 4%. (ince the current number was under +) on most days that was a bold guess.

: ut in my hand I held a note with another number on it. It was 47 < ...

This is the story on how I won that bet. If you will a report on the Account &reation Improvement Project and myself i.e. Zennart >uldbrandsson's - i.imedia Foundation community fellowship during the first half of %)\$\$. After reading it you'll see that the recommendations for the future are about this. You'll also see how to implement the suggested changes on your i.i.

The Account &reation Improvement Project was started in the - i.imedia Foundation community department by I ran. (chulenborg. Zennart's fellowship first consisted of working on two simultaneous projects: the :oo.shelf project and the Account &reation Improvement Project. In the end of May though the :oo.shelf part ended allowing Zennart to focus on the Account &reation Improvement Project. During all this period Zennart has reported regularly to I ran. (chulenborg and AAC. BCley as well as to the - i.imedia community.

During the six months of the fellowship Zennart successfully conducted two surveys led a series of low-quality tests across the design of a tracking system and then the development of two high-quality test versions after which we deployed them and finally worked on gathering and analyzing the data after the tests.

Overview of the project and the Fellowship

Before the Fellowship

(September \$88 %) F I ran. starts Account &reation Improvement Project Zennart signed on as interested to participate on same day

The Fellowship

(December \$68 %) F Zennart's fellowship starts
January %" 8 %) F Zennart to (an Francisco
January %" February 48 %) Survey rolled out on six languages
February %" March +) F Two low-quality tests live on English - i.ipedia
March %" April %) F Tracing system up and running
April %" June 8 %) F High-quality tests live on English - i.ipedia
June \$68 %) F Zennart's fellowship ends

After the Fellowship

July 2018)\$\$ F (statistics on how many made edits after the account creation tests
July 2018)\$\$ F / report being compiled
August 2018)\$\$ F Zennart presents Account & Creation Improvement Project at [- i.imedia](#)

Participants and method

For the most part Zennart has been working with volunteers during the Account & Creation Improvement Project. The main workspace has been the Outreach wiki at <http://outreach.iimedia.org/iidAccount&CreationH5ImprovementHProject> but some work has been conducted on different language versions of - i.ipedia (the Test wiki and the MediaWiki).
Besides the volunteers the project has had some - i.imedia Foundation staff support primarily in the form of ideas and technical support.

For brevity's sake this report uses the pronoun "we" to signify the work of either of these three groups of people (Zennart, volunteers, staff) instead of constantly naming who did what "the focus being on the results".

, note* most of the links in this report lead to English - i.ipedia. This is to keep things brief. If you change the "en" in the link to the [5\(9 code for your languages](#) all MediaWiki pages for instance go to their counterparts on the - i.ipedia in that language.

The lay of the land


Before I started to change anything in the account creation process I wanted to understand what I had. That meant that I had to do a bit of documentation and research. There isn't much before at least not collected anywhere here.

The account creation process as it was before the Account & Creation Improvement Project started has been created by the a6 tech staff of the - i.imedia foundation and b6 - i.ipedia volunteers.

The technical aspect

Since the project had very limited support in terms of full-time tech staff help the existing account creation process would have to remain relatively unchanged. That was not a major problem. Compared to many other websites - i.ipedia has a rather simple and clear account creation process with only a few fields to fill in. In contrast to websites such as Facebook - i.ipedia will of course let you use the service both read and contribute without an account.

The process to create an account in - i.ipedia looks like this*



[4 \(ource6](#)

(steps for account creation*

-)* 'ser clic.s on the 2og inD create account lin. in the navigation
- \$* 'ser is ta.en to the 2login page which asks the user to either log in or to create an account
- %* 'ser is ta.en to the Account & creation pages which asks the user to create an account by filling in a form
- +* 'ser is ta.en to a &confirmation page

[4 \(ource6](#)

Each of these pages consist of a number of different MediaWiki messages that can be edited by administrators only⁸ and some system messages that only programmers can change. For a complete list of MediaWiki messages that administrators can edit⁸ see the [Appendix](#).

The content aspect

- whereas the technical aspect of the account creation process is controlled by the MediaWiki foundation staff⁸ the content of the pages in the process is decided by each MediaWiki language community. That kind of high-traffic pages are normally built up based on experiences⁸ such as mistakes made by new-comers and frequently asked questions. In the account creation process for English Wikipedia this arguably led to [instruction creep](#)⁸ and even a process that was un-fun welcoming and daunting for the new-comers. This is how one of the pages in the original account creation process looked before the project started*

Username policy

Username policy prohibits usernames which are promotional, misleading or offensive.

- promotional usernames
 - containing names of companies, organizations, groups, or website names (including non-profit organizations)
 - containing domain names or email addresses **Redundant...**
- misleading usernames
 - names of celebrities, notable world figures or events, or known Wikipedians
 - containing words like "bot" or "script"

Create account

Already have an account? Log in.

Registering a free account takes only a few seconds and has many benefits. Scroll down to the form below, and simply choose a username and password and (optionally) enter your email address, then click "create account".

Choose a username/password

- Choose an **offensive** username that **identifies you personally**, either using your real name, or an alias of your choosing. Do not use your email address or domain name, or the name of any organization you're associated with. (See pros and cons of using your real name.)

Prove you're human

To help protect against automated account creation, please enter the words that appear below in the box, without any spaces. (more info)

Wasted space...

Username:

Re-enter Username:

Re-enter Password:

Retype Password:

Email (optional):

* You do not have to provide an e-mail address, but if you forget your password, you will not be able to regain access to your account without one. You also need to provide an email address if you wish to enable the "Email this User" feature, to either send or receive emails via Wikipedia. You can provide an email address later on, or change it. If you change your e-mail address, you will need to reconfirm it.

Remember me (86400 days) Remind me...

Please note that an account is **not required** to read the encyclopedia and look up information – that can be done by anyone with or without an account – although you do need an account to change your site appearance. People can figure this out...

Log in / create account

Special page

Search

Main page
Contents
Featured content
Current events
Random article
Donate to Wikipedia
Interaction
Help
About Wikipedia
Community portal
Recent changes
Contact Wikipedia
Toolbox

O comparison bet ! een - i.ipedia and 1aceboo.s account creation processes makes this instruction creep very clear. 1aceboo.s 54 words are compared with - i.ipedia's 68 words including a few warning signs and phrases marked in bolded red!

- e considered that the existing account creation process was forcing fine but needed to have some statistics to back that up. During (September %) I ran several queries to the Toolserver. The goal was to understand how many created accounts per day and how many of them started to edit. Here's the result for August %)*

Project	Number of new user accounts overall	New user accounts: average per day
Bnglish - i.ipedia	\$6 87)6	58474
(panish - i.ipedia	%78\$)%	874
>erman - i.ipedia	\$78 6+	57
1rench - i.ipedia	\$687\$%	5+
/ussian - i.ipedia	\$%865+	4)8
@utch - i.ipedia	5874+	\$85
Polish - i.ipedia	58+ +	\$74
(! edish - i.ipedia	+8 %	\$%
Bnglish - i.ine ! s	%88)\$)
&Eech - i.ipedia	%8686	87
Gungarian - i.ipedia	%86)%	84
Gindi - i.ipedia	\$8% +	4%
Tamil - i.ipedia	8)7	%6
:engali - i.ipedia	677	%%
3 alayalam - i.ipedia	6\$6	%)

, number of new accounts per month.

Project	Number of new user accounts	New accounts with at least one edit within the first 10 days after creation	Percent-age
Bnglish - i.ipedia	\$6 87)6	5\$864	+\$<
(panish - i.ipedia	%78\$)%	6876	%5<
>erman - i.ipedia	\$78 6+	68%\$	+4<
/ ussian - i.ipedia	\$%865+	+8++5	%6<
@utch - i.ipedia	5874+	\$84\$+	%4<
Polish - i.ipedia	58+ +	\$8%55	%+<
(! edish - i.ipedia	+8 %	\$8\$)	+)<
Bnglish - i.ine!s	%88)\$	%87 8	\$))<
Gindi - i.ipedia	\$8% +	\$%\$	<
Tamil - i.ipedia	8)7	8%	\$)<
:engali - i.ipedia	677	74	\$\$<
3 alayalam - i.ipedia	6\$6	7)	\$\$<

, umber of ne ! accounts that are used in the first \$) days.

4The rest of the results of the "before" statistics are [here](#).⁶

5s this result amazing or bad? According to [a paper on Facebook](#),⁸ 44% of the new users drop off in the first 3 months⁸ but since Facebook's system is very different⁸ and most other websites don't publish data such as this⁸ we concluded that the only data we could compare ourselves to were earlier data⁸ i.e. if we could increase the numbers in the table above.

0 round January 58% of the administrators on 7 language versions of - i.ipedia (Bnglish, >erman, French, (panish, (! edish, :engali and :ahasa) 3 elayu) to put a link to a very short survey [on the page that new users Join](#) after they have created their new accounts. That survey was the next step to understanding what we needed to change. The goal was not to have a statistically perfect survey⁸ but some interesting on what new editors wanted out of their account and what we needed to explain to them. The survey asked them about what they expected when they created the account⁸ or in essence⁸ "I".

This is the Bnglish version*

Why did you create your account?

Options for choices*

-
-
-
-

-
-
-
-

[4\(source\)](#) and other language versions⁶

After a few days we started a new survey on English > German and (Spanish - i.e. ipedia) with the following question*

Congratulations! You just created your own Wikipedia user account. If you had to create a user account again, which of the following statements would convince you more?

Options for choices*

-
-
-
-
-
-

[4\(source\)](#)⁶

- We got roughly 545 persons in all answering our surveys (the French and the Indonesian delayed) as not started despite being translated. In order from the fewest to the most responses*

- English " \$%
- French " \$55
- German version \$ " %55
- Polish " +5
- (Spanish version \$ " 88\$)
- (German version % " +%)
- (Spanish version % " \$)5)
- English version \$ " \$4\$%
- English version % " %%)) (roughly⁶)
- English version + " +\$8

[4\(source\)](#)⁶

\$ This idea is humorously sketched out [as a graph here](#). This is probably the main reason why people with accounts don't start to edit - i.e. ipedia.

% Due to a mistake the specific result is showing around some here on the 2ime(survey) but we have a screenshot of the results*

<http://upload.wikimedia.org/wikipedia/commons/6/65/0ccountHcreationHsurveyH%Hen.png>

Results

The most common answer across all language versions is surveyed as J5 want to be part of - i.wikipedia. In fact the stable results on that point is the reason why they did another survey to understand what Wikipedia meant.

Keeping favorite articles on - i.wikipedia" is the most common answer in the second survey with the notable exceptions of German - i.wikipedia where anonymity is a bigger reason and (Spanish - i.wikipedia) here getting a user page and being able to send/receive messages are the most important features. When forced to choose one alternative new comers to English - i.wikipedia think that being able to follow articles is the most important reason to create an account. That is also important when they can choose.

Full results of the surveys can be found in the [Appendix](#).

Comments from people taking the survey

In the first and second surveys I gave people a free text area. People used that option a lot. The most common responses were along the lines of:

- "I don't want to edit articles anonymously."
- "Class assignment"
- "Want to create a book. Can save and print" Or other function related answers
- "Just for fun" - 505PB@50J

Some gave responses that showed that they still have some outreach or to do*

- "I thought it would be able to read a lot more articles"
- "chat with online friends"
- "To give my forum a page"

And some gave cryptic responses*

- "I wanted to vandalf!"
- "I'm an artist"
- "I am unno. It was bored."


Testing it live

During Zennart's trip to San Francisco in January he decided that surveys and statistics are but the first step and that he needed to test out different things live on - i. ipedia.

(step 5 in the testing process) was to gather as many different ideas as possible without too much thought into design & deploy them and measure how many new users had started editing. He called that the KLo "#uality tests" in contrast to the more polished versions that he could do or, on later occasions, more about what worked and what didn't. These were certainly aware that the versions in many cases were crude and simplistic but the tests could show which he should do more on.

(Starting February 1st) the community was invited to contribute their designs of the three pages in the account creation process: the login page, the account creation page and the confirmation page. To help people out, he created a list of assumptions that they could use when designing their own versions. For example, he believed that showing the newcomers images of people may inspire more confidence. Read [the full list here](#). Among the suggestions was one that was used on Polish - i. ipedia: here the newcomer gets the Kruleboo." on their user page. Other designs had videos and links to reading materials.

On February 14th the first test were performed on English - i. ipedia. In all 10 "#uality designs were tested, the last test ending on March 14th. Most of the tests were focused on the last page in the account creation process: [the confirmation page](#). The original version looked like this:



+ This version became known in the project as "K&ommons salad" because of all the images and extra ingredients.

[Image source](#)⁶⁺

Samples of versions that were tested:

Welcome to Wikipedia, \$ 1

Your account has been created.

Click here now to create your user page.

You can also start from the [introduction](#) or [your preferences](#).

o-Wikipedia - S1 - Wikipedia

Privacy · You have just registered an account. Welcome to Wikipedia!

Learn more about how Wikipedia works

Create my user page

article in the sandbox

Search for an article

Search

Remember that Wikipedia has [some policies](#).

Make my first edit in this article

Make a test edit

m more about what you can do with your account? Check out this page.

Do you want to learn more about what you can do with your account?

4version %6

4version +6

Welcome to Wikipedia, \$1!

If you want to know more about how Wikipedia works, there is a whole series of films made by volunteers such as you.

Create your user page

Search

Remember that Wikipedia has [some policies](#).

Common questions about Wikipedia

Make a test edit in the sandbox

Do you want to learn more about what you can do with your account?

Welcome to Wikipedia, \$1!

Do you want to learn more about what you can do with your account?

1. Register for an account on Wikipedia! 2. [Edit a tutorial](#)! It walks you through the basics. 3. [The index of reliability](#) shows which articles are starting to look good. You can click [Help](#) for help if you're not sure what to do. 4. [Start posting!](#) Wikipedia needs many volunteers to maintain it, and many more who want to help out. It's easy to begin! See details.

First edit in this article:

Create your user page

Search

Remember that Wikipedia has [some policies](#).

Make your first edit in this article

(Here is a [cheat sheet](#))

Common questions about Wikipedia

4version 46

4version 76

4version 6

Welcome to Wikipedia, \$1!

Help us make Wikipedia better! Start editing the articles today. It's fun, educational, and inspiring - and you will help countless others. Just like you've been helped by Wikipedia in the past!

Find an article → Click "Edit" → Make the edit → Click "Save page"

Search

If you don't know where to start, [here are some suggestions](#) for you.

If you are not sure how Wikipedia works, make a [test edit in the sandbox](#). It's easy. Afterwards, check out [the menu to the left](#). It's where all the best links are.

Happy editing!

Do you have a question about Wikipedia?

Do you want to learn more about what you can do with your account? Check out this page.

Results of the first tests

Test version	Number of new accounts (best day)	New accounts with at least one edit on the day of account creation (best day)	Best percentage
<u>9</u> riginal	78\$8)	%8\$77	+) < ⁴
<u>\$</u>	78+4\$	%8\$5\$	++ <
<u>%</u>	68574	%8+%8	35%
<u>+</u>	78%66	%8+64	+% <
<u>4</u>	78%67	%84++	++ <
<u>5</u>	68 +5	%8447	35%
<u>6</u>	68)8)	\$8 \$7	+% <
<u>7</u>	78\$5\$	%8\$8+	+\$ <
<u>8</u>	68)66	\$887	+\$ <
<u>_</u>	686 7	%8\$%4	+% <
<u>\$)</u>	6448	\$ 78	+\$ <

⁴([ource](#) and all results)

Version % and 5 had a few percentages more people who started to edit than the others but the remarkable thing is that all versions were better than the original one. Version % and 5 gave 5 percent units more newcomers than the standard one (which on a day with 6)) new accounts means +) more potential - i.ipedia contributors F per day! These versions were certainly exploring more thoroughly.

The backlash with version 2

- e announced the changes before he implemented them on the Village pump of Bnglish - i.ipedia as well as the Administrators' noticeboard. Most who responded were interested in the tests but the activity was not very high.

Go however when he rolled out version % see picture above there was outcries in several places and the page was reverted. To understand the reason why let's look at how version % or so since this will become important later on. , ever mind that the design lacks a certain style. The as proposed by editors from Polish - i.ipedia based on the system that they had there. Once you have created an account you're given one clear choice* to create a user page. - when you click on the button a template preloads information on your user page and all you have to do is click the "Save" button. The Polish version had a list of around +) links to guides policies and other pages on - i.ipedia. The Bnglish version looks like this.


- what the community reacted to was that so many new users created user pages that looked exactly the same. This function made the new newcomers' user pages blue links instead of red links on for instance recent changes also made it more difficult to distinguish between new newcomers 4 who according to - i.ipedia wisdom are more prone to vandalism and - i.ipedians who are less prone to vandalism.

⁴ This percentage here deviates a little bit from the percentage in the original statistics.

Go! ever~~s~~ I e reasoned that it ~~would~~ be a good thing if - i.ipedians ~~were~~ patrolled / recent changes didn't automatically scrutinize new users harder. [One test on English - i.ipedia](#) using Kunder cover" - i.ipedians posing as new comers noticed that edits they made were more often reverted than if they made the same type of edits with their usual accounts. This made us think harder about how we could have the best of both worlds* tools for the vandalism patrol on the one hand and an easier time getting accepted as a - i.ipedian on the other.

To get a better measuring rod than statistics from the Toolserver accounts which needed to be updated manually for each update for the tech department were given the task of creating a tracking system with [OD: testing capabilities as described here](#).

In essence what we wanted was a method to randomly send those who wanted to create an account one of several alternate routes like this*



[4. \(source\)](#)

Also we wanted tracking to many went through the different routes and most importantly how many of them began to edit after creating their account. This basically meant which route was the most effective way of getting people to edit!

That task was done by [an extension to the MediaWiki software](#) which placed a tracking cookie in the web browsers of the new users. The tech team wrote*

What data we are storing

- we are storing a new cookie upon visiting the "create account" page with a lifetime of three months. This cookie will be used to track the following information⁴:

- which account creation messaging group the user was placed in (identified as O&P\$0 or O&P+ for no)
- what version of the account creation campaign they received
- whether the particular user made it to the end of the account creation process or whether they dropped off after reaching the login screen or the account creation screen
- If (and only if) the user creates a new account** the number of edits or previous saves during the course of the trial

The information is associated with browser sessions (each of which has an individual unique identifier)⁵.

[4 \(source\)](#)

The extension was deployed on April 7, which is when the more advanced statistics began.

The tech team theorized that more outreach activities could use the custom 'signup' extension to gauge how successful the activity was in getting more people to sign up as editors.⁶

... □ □

After the second trip to San Francisco, Zennart and Iran set out to create two high-quality account creation processes. They were different from the low-quality tests in two fundamental ways:

they were created with more style in mind over a longer period of time than the low-quality designs, which among other things meant that we designed them than individual pages.

they were deployed with the custom 'signup' extension in play so that we could measure what happened to the people who went through the account creation process.

The two new high-quality designs were based on the two most successful versions in the low-quality tests. Internally we called those versions "the user page creator" and "the (par.ed.com model" (more details below).⁶ Concurrently with them we would run a third process. The third one was the existing process, which we wanted to use as a baseline in case we suddenly saw a spike or dive in the statistics of the new version.

The task to design and code the two high-quality versions proved to be harder than anticipated. There were technical challenges as well as content issues that needed to be addressed before they could be rolled out on English Wikipedia. Fortunately even though Zennart was responsible for the user page creator and Iran, too, charge of the (par.ed.com model we had plenty of help from the communities of the Outreach team and other Wikipedia editors.

The user page creator

The user page creator was based on version 1.0 of the low-quality tests ([the controversial one](#)). Googlers felt that once we could provide the vandalism patrollers some tools to deal with the

⁵ This can be made easier by using such services as [Pedia](#), a website which turns URLs into codes that can be read by mobile cameras.

⁶ For instance, we placed a [progress bar](#) at the top of both account creation processes.

problems that the model created this model could have a good chance to get many newcomers to start editing which was the goal. It could also present the new comer to the rest of the community which helped make the Wikipedia community more inclined to welcome them into the fold. The various tools and features will be explained as we go through the steps in the process.

This process was designated campaign=ACP1 in the &custom 'ser(signup extension) which meant that you can go directly to this account creation process instead of getting randomly assigned to one of the three account creation processes by clicking this link.*

<http://Den. i.ipedia.org!DindeC.php>

[titleQ\(pecial* 'ser2loginRactionQsubmitloginRtypeQsignupRcampaignQ0&P\\$](#)

This is how it looks*

(step) and \$ in the [account creation process](#) are the same as the normal one. This is also true for the par.ed.com model.

1 Get a new user account 2 Learn what you can do 3 Be a part of Wikipedia

What would you like to be called on Wikipedia?

Choose a user name and a password.

Create account

Already have an account? [Log in](#).

Registering a free account takes only a few seconds and has many benefits. Simply choose a [username](#) and password and (optionally) enter your email address, then click "create account".

To help protect against automated account creation, please enter the words that appear below in the box, without any spaces. ([more info](#))

Unable to see the image? Please request that an account be created for you.

username:
password:
Email (optional):
I agree to the terms of use

4([source](#))

You'll note the difference to the original one* shorter text the softened frame with shadows and the colorful progress bar at the top.

- we should also mention that much of the page consists of a form that we could not change for technical reasons. It took too much time for a six-month project and with very unsure results. The [original design](#) called for an inspirational "you can also become a part of Wikipedia" sidebar but we were unable to get this to work. With the form part without changing the software.

A confirmation code was sent to your e-mail address. This code is not required to log in, but you will need to provide it before enabling any e-mail-based features in the wiki.

- 1 Get a new user account
- 2 Learn what you can do
- 3 Be a part of Wikipedia

Tell us about yourself.

Your user page is where you meet the other Wikipedians.

By adding some information about your interests and your background to your user page, fellow Wikipedians can help you find stuff to engage you.

Replace this example text below with information about you:

Hello, my background is in biology...with a main interest in snakes.

You are free to fill your user page as you see fit. Almost. For instance, you should not give out your contact information. Here are our recommendations.

This is an example of a user page.



Do not forget to click SAVE PAGE when you get to the next page!

Create my user page for me now!

4([source](#))⁶

Generally there are two main features beside the progress bar*

- the blue box to the right which shows an example of a user page⁷ including a photo of a -i.edian
- the "Tell us about yourself" form⁸

The "Tell us about yourself" form is a [JavaScript](#)-created function that is pre-filled with the following text:^{*}

Replace this example text below with information about you*

Hello my background is in biology...with a main interest in snakes.

I speak English and French. In my off-time I listen to a lot of music and I have discovered that -i.edia is a very good source for information in that department. Hopefully I can help make it even better.

This text is one of the tools used by vandalism patrollers* they can no longer check for user pages that include this exact wording.

Normally step + is here where the newcomer finds his or her own way. In this version I added a fourth step. Once you click "Create my user page for me now!" you will be taken to your new user page with the text you added pasted into the edit area so that all you have to do is to scroll down and click "Save". This looks like this*

⁷ The user page belongs to [Tim_Nic.ers](#) after a thorough search among user pages for a simple informational user page that a newcomer could imitate. It is a happy coincidence that the user turned out to be a scientist.

⁸ Sadly, the browser underlines the words it doesn't understand even after saving it to English. In other words, it shouldn't look like that.

This text is generated by one part of the code on this page* <http://Den.i.ipedia.org/i.media-i.common.js> which you also have to change if you are to import this version of the account creation process to other sites.

B I Advanced Special characters Help Cite

```
<!-- BELOW IS THE TEXT ABOUT YOU. YOU CAN CHANGE IT COMPLETELY OR IN PARTS AND THEN COME BACK TO IT. AFTER YOU ARE DONE, SCROLL DOWN A BIT FURTHER AND CLICK "SAVE PAGE"-->{{New user bar}}
Replace this example text below with information about you:

Hello, my background is in biology, with a main interest in snakes.

I speak English and French. In my off time, I listen to a lot of music, and I have discovered that Wikipedia is a very good source for information in that department. Hopefully I can help make it even better.

<-- NOW, CLICK THE "SAVE PAGE" BUTTON. CONGRATULATIONS, YOU'VE JUST MADE YOUR FIRST EDIT TO WIKIPEDIA. -->
```

Content that violates any copyrights will be deleted. Encyclopedic content must be **verifiable**.
By clicking the "Save Page" button, you agree to the [Terms of Use](#), and you irrevocably agree to release your contribution under the [CC-BY-SA 3.0 license](#) and the [GFDL](#). You agree that a hyperlink or URL from your site to the page created will be considered fair use.

Edit summary (Briefly describe the changes you have made)

Preview of edit summary: (New user page through Outreach:ACIP)
 This is a minor edit (what's this?) Watch this page
 [Cancel](#) | [Editing help \(opens in new window\)](#)

If you do not want your writing to be edited, used, and redistributed at will, then do not submit it here. All text that you did not write yourself, except brief excerpts, must be available under terms consistent with Wikipedia's [Terms of Use](#) before you submit it.

4(ource\$)6

There are a couple of things to note here \$\$

- there are t!o hidden" comments reminding the user to clic. K(ave" and !elcoming the user to - i.ipedia
- the edit summary automatically adds the teCt K , e ! user page through 9utreach*0&5P" to this edit in / ecent changes! which ma.es it very easy to spot for vandalism controllers
- this is not the first thing the user sees after coming to this page. Obove this is something #uite interesting! see the neCt section.

9ne thing that !e .ne! that the ne ! users needed! and !e !anted to give them! as information about ho ! - i.ipedia !or.s. :ut !e needed to do it !ithout giving them a list of +) guidelines and manuals on their user page! as in the Polish version. 9ur idea !as to use tabs! i.e. place the information they needed close at hand. The method !e chose !as to use a template that could be pasted onto every ne ! user page during the account creation process.

That template is eCpanded on the user page to give the ne ! user information and guidance! !ithout ta.ing up too much space on the page. ?ou can actually see the code that produces the tabs template in the image above! right after the first line of hidden teCt* {{ New user bar }}. 5f you didn't notice it the first time you sa ! the picture F good. That's the point.

2et's ta.e a loo. at the template that sits on every ne ! user page created through this account creation process*

\$) This page cannot be easily sourced! since it's session"based. (o you'll have to try it yourself.
\$\$:esides the red"lin. problem 5 told you about before.

Preview

Remember that this is only a preview; your changes have not yet been saved!

If This page is your
change it however and
member, it is your face

Start editing Every one of Wikipedia's articles have been created by its readers. Click here to learn more about how quickly and easily you can help make
Wikis, using your own
username at the very top of every page.

Personalize Wikipedia With your account, you can enhance your reading and editing experience by marking articles to watch as they evolve and
you can a Way to checkers by c king on your
username at the very top of every page.

Tell us more about yourself user page. You are free to cl whenever you want. Just re

About me

Replace this example text below with information about you.

Hello, my background is in biology, with a main interest in snakes.
I speak English and French. In my off-time, I listen to a lot of music, and I have discovered that Wikipedia is a very good source for information in that department. Hopefully, I can help make it even better.

Click here to add an image of yourself (optional).

Important Information for minors

R T Advanced Special characters Help Cite

4 (source) 6

One feature we have in the user bar template is the prominent tab "Getting started" which links to a page we created called [\(Starting editing\)](#). This page is a very short introduction to editing Wikipedia much shorter and less technical and more focused on inspiration than almost any other manual on Wikipedia*

About me **Getting started** **My test area** **Get help** **Inbox**

Have you noticed the "edit" button on Wikipedia?

Get started making Wikipedia better now. Pass on what you know.

Copy-edit an article Most articles in Wikipedia could use some copy-editing, including checking for typos, correcting mistakes in grammar, and improving clarity. Here is a good guide.

Join a WikiProject Many Wikipedians work together to create better articles in their fields of interest. Locate your field here.

Add sources to an article Wikipedia uses references to reliable sources. When you find unverified or unsupported statements in an article, add sources like this.

Not ready yet? Watch this short video about contributing to Wikipedia →

You can also ...

... learn the basics of wiki code.

... browse the frequently asked questions.

... read the tutorial to editing Wikipedia.

4 (source) 6

The links in the tab are* [About me](#) [Getting started](#) [My test area](#) [Get help](#) and [Inbox](#).

: ut bac. to the , e ! user bar template* , ote also the placeholder image to the right! ith a lin. to a special page about [uploading images of yourself](#). - e reasoned that it ! ould be easier for ne ! users to enter the community if their user pages had pictures F and perhaps increase their chance of avoiding frivolous reverting by vandalism patrollers.

These lists have been manually created and could have to be manually updated⁶ as the tasks are being dealt with but with cross-sourcing⁷ this should be manageable.


This process was designated campaign=ACP2 in the &custom 'ser(signup extension)⁸ which meant that you can go directly to this account creation process instead of getting randomly assigned to one of the three account creation processes⁶ by clicking this link.*

http://Den.iki.ipedia.org/DindeC.php?title=Special%20login&action=submit&login_type=signup&campaign=0&P%

This is how the process looks*

(steps) and steps in the [account creation process](#) are the same as the normal one.

Tell us what you are interested in



The header was consciously chosen to project the feeling that we want to know more about the new user's interests.

By making the newcomer choose a topic during the account creation process⁸ we hoped to focus them on contributing to Wikipedia instead of reading only. We also deliberately used pictures as links on this page⁹ to give the image of "more than just text".⁵⁷

Finally note the blue box with instructions on the right.

⁶ Some comment we have received about these versions is that they are not \$) compatible with the &&"by"sa license since we haven't provided information about the sources for the images. We chose not to do this since it would detract from the "straight" flow from account creation to starting to edit. The annual fundraiser have had the same discussions.

Which skills do you have to offer? (History)



Here we have tried to focus the new user into one of four tasks that we need volunteers to help out with. The blue box is present again with instructions.

Be a part of Wikipedia (History, Copyediting)

Get a new user account Learn what you can do Be a part of Wikipedia

Here is how you can help:

Click on one of the links in the list on the left hand side ("List of history articles that need copyediting"). This will bring you directly to the article that needs attention.

Then, click on "Edit" at the top of the screen (next to the search field):

Read **Edit** View history ⌂ ⌂

List of history articles that need copyediting:

- Aftermath of World War II
- Alexander's Conflict with the Kambojas
- Ancient history of Cyprus
- Aun ibn Abdillah and Muhammad ibn Abdillah
- BBC History of World War II
- Colonialism
- Contents of the United States diplomatic cables leak (India)
- Contents of the United States diplomatic cables leak (Pakistan)
- Geomatics
- Ka'abas
- Lund Knwar
- Maiden Auction from
- Marinid dynasty
- Michael Joe Costello
- Migration Period
- Mikhail Miloradovich
- Mongol invasion of Europe
- Muslim conquest of Egypt
- Nguyen Khanh
- Paolo Soleri Amphitheatre
- Pedro Fernández de Cárdenas
- Prehistory of Transylvania
- Quantitative revolution
- Rua Kenana Hepetipa
- Running in Ancient Greece
- Sarmatism
- Timeline of Cherokee history
- Union of Brittany and Normandy

Copyedit the article.

Finally, enter a description of what you have done in the "Edit summary" field and click on the "Save" button. Wasn't that easy? Thanks for helping to improve Wikipedia!

4 (course) 6

This is one of the +) pages with similar lists based on skill and interest. All of them have been manually created which is one of the drawbacks in this method. - we have been in preliminary contact with - i. projects that could help out with updating these lists.

- we deployed the three account creation processes 40% for the user page creator and 0% for the (par.ed.com model and 0% for the standard one ([on June 8 %](#)). The first results came the next day and they were very encouraging in some respects.

What we measure and why

The data we sought was how many start to edit after going through a particular account creation process. For instance the (par.ed.com model "manages to attract more editors in the long run than any of the other processes and the numbers are conclusive" we should implement that model on English - i.wikipedia.⁸ An important angle we looked at was how many made edits versus how many made 5 edits. This distinction is crucial because we want the newcomers to stay as editors and not just make a random edit to test out - i.wikipedia.

As we stated above the data is built upon a browser-based cookie. That means that if a person creates an account on her own computer and then starts editing with her new account

she would not be counted here. Currently we have no method of getting data for those persons but on the other hand they will be present in approximately the same numbers in the three different account creation processes so in the end it will still be fair.

The raw data

The tech department made an automatic script on the [Toolserver](#) which updated daily on the statistics of the three account creation processes. It deposits the raw data numbers in [this text file](#). The data there is a little hard to understand so here is a short legend*

⁸ - we haven't run these tests on any other - i.wikipedia. Our intention at the beginning was to have these kinds of statistics for several language versions of - i.wikipedia but time constraints became a big factor. That's why we hope that volunteers make these experiments on their own i.s in the future.

What is says in the text file – what it means

home\catroped\acp\perday\bennart"log"\%)\$\$\$)4%7"0&P\$"final F date and 0&P 4in this case it's 0&P\$8 the user page creator⁶

- 5TG B@5T(* 45 F of everyone ! ho ! ent through this 0&P8 ho ! many made \$ editI

- 5TG 5 B@5T(* F ho ! many made 5 editsI

T9T02* \$\$) F ho ! many can ! e match to a specific user nameI 4ignore this

T9T02 - 5TG ' , 3 0T&GB@* \$\$ F ho ! many created an account through this processI

Percentage ! ith \$ edit* +7.8\$5\$ F ho ! big share of everyone ! ho ! ent through this 0&P made \$ editI⁷)

Percentage ! ith 5 edits* 7.56+)+ F ho ! big share of everyone ! ho ! ent through this 0&P made 5 editsI

Crunching the numbers

(orting through the ra ! data8 ! e can find these numbers*

	- ith \$ edit	- ith 5 edits	0ccounts created	Percentage ! ith \$ edit	Percentage ! ith 5 edits
Overage day	++7.87	6+. 6	67.+8	+4.8+	6.)
: est day	5++	\$)+	\$\$66	48. +	\$).6\$
- orst day	%\$6	%8	7++	%5.58	+.58

	- ith \$ edit	- ith 5 edits	0ccounts created	Percentage ! ith \$ edit	Percentage ! ith 5 edits
Overage day	4+7.66	6 .))7.4	44.58	7.)%
: est day	5++	\$)+	\$)5	48. +	\$).6\$
- orst day	++6	+6	7++	4). 7	4.++

	- ith \$ edit	- ith 5 edits	0ccounts created	Percentage ! ith \$ edit	Percentage ! ith 5 edits
Overage day	%87.6\$	6+.)7	88\$.%7	+. 6	6.66
: est day	+8%	6	\$)6%	+4. 8	.)6
- orst day	%\$6	%8	7)+	%5.58	+.58

⁶ In the teCt file8 the first day is 0pril %78 ! hich is ! hen the eCtension ! as deployed. :ut ! e didn't roll out the three different account creation process until ;une . The data before that is based on three eCactly ali.e account creation processes. - e have therefore eCcluded any data from before ;une \$) F the first full day of testing. The last day included is ;uly %).

⁷) rember the original statistics said that +) < 4on the best days6 create accounts and then ma.e one edit. This method of measuring is a little bit different still8 so any numbers ! ill deviate from the original statistics. The data in the legend is much higher but it seems that it ! as a pea. day. The normal level is much closer to the original statistics.

	- ith \$ edit	- ith 5 edits	0ccounts created	Percentage ! ith \$ edit	Percentage ! ith 5 edits
Overage day	%88.+4	5 .))8.5\$	% .54	6.%
: est day	+54	86	\$)75	++.4	7.84
- orst day	%%\$7	+6	6	%6.7	+. \$

4(ource* see separate file6

In total there were **118988 accounts created** during the test period. Of these **41558 made at least 1 edit** and **7867 made at least 5 edits**.

Which account creation process is better?

To determine which account creation process is better let's look at the important aspects*

- it has the highest percentage of people that made at least \$ edit on the best day
- it has the highest percentage of people that made at least 5 edits on the best day
- it performs well even on the K ! orst day" on how many percent made at least \$ edit
- it performs well even on the K ! orst day" on how many percent made at least 5 edits
- it has a high percent average of people that made at least \$ edit
- it has a high percent average of people that made at least 5 edits

The one that's best in the most of these is clearly better at the job. Here are the scores for the three account creation process compared on these five aspects. The inner of each category is bolded.

	0&P\$	0&P%	0&P+
Gighest \$ edit	48.93	+4. 8	++.4
Gighest 5 edits	10.61	.6	7.84
- orst day \$ edit	40.97	%5.58	%6.7
- orst day 5 edits	4.33	+.58	+. \$
Overage \$ edit	44.58	+. 6	% .54
Overage 5 edits	7.02	6.66	6.%

These figures may seem very abstract but by increasing the inflow of new - individual users who made 5 edits from 6.% to 7.%) on an average day we gain persons per day! From 5 .) with the present model to 68.) persons with 0&P\$.6.

To sum it up. There is no other account creation process of the ones that we have tested that can measure up – in any category – to that of the user page creator. This is the account creation process that we recommend.

One should be added that version also scored above **47**. (unless - infred's note said 48< 4 < or 5)< those two champagne bottles are mine.

Other results and aspects

Go ! ever! hile the statistics are an important part of choosing a ne ! account creation process! there are other concerns and aspects to .eep in mind. To those siC categories above! e should add that the account creation process ! e choose should be effective in terms of community effort. The 0&P%the (par.ed.com model has an important dra ! bac. in that the community ! ould have to .eep the lists of tas.s constantly updated.

The 0&P\$ and 0&P% has both been complimented on loo.ing nice! hich ma.es it easier to convince the community to accept them as the default account creation process.

That does not mean that 0&P\$ is ! ithout its challenges. Gere are some of the things ! e need to ta.e note of! should ! e decide to go ! ith 0&P\$*

- ! e should as. the community to .eep an eye on the category for ne ! - i.ipedians! and use it as a place to recruit ne ! members of the - i.iprojects based on their descriptions of themselves
- some - i.ipedians have eCpressed concern that the 0&P\$ increases the number of pictures of people on - i.imedia &commons F and since &commons is not a photo album! but the pictures should have educational value! they are li.ely to be deleted unless some thin.ing is done on ho ! to approach this
- ! e ! ould need to discuss ! ith the community about the issue of users ! ith formulaic user pages! many of ! hom are inactive.
- there have been some tal. about bro ! ser"compatibility issues! especially ! hen it comes to the ;ava(cript"based Ktell us about yourself""form. Those ! ould have to be resolved
- * ! hen ! e as. the ne ! comers to add information about themselves! e need to be very careful on ! hat types of information ! e as. them for. (everal - i.ipedians have eCtremely hard ob=ections to including data such as name! here you live! ! hat age you are and other identifying information. - i.i"stal.ing is one reason. Oanother is that if a ne ! user adds a university degree or another eCpertise to their profile! this may lead that person to eCpect special treatment
- the deployment should be announced on both the Nillage pump 4proposal6 and the 0dministrators' noticeboard! plus the - i.imedia 1oundation blog! ith enough numbers to convince people
- other language versions of - i.ipedia may discover that their numbers differ from these. :efore they deploy 0&P\$ uncritically! they should test this for a month and measure the difference. 9f note is that some - i.ipedias already have other account creation processes! that could be fine"tuned as ! ell

Os some - i.imedia 1oundation staffers have noted! the 0&P\$ is an amalgamation of several pieces F the user page creator! the ne ! user bar! the ne ! - i.ipedians category! etc. 5f there is time! it ! ould probably be a good idea to test the various part further. - e may yet increase the numbers to above 5) <!

Final thoughts

Although we didn't intend for it, the new user bar have already started to make its way around -i.ipedia. In Chinese -i.ipedia some have begun to use it on their user pages, see for example <http://zh.wikipedia.org/w/index.php?title=Tommyang>.

The extension & custom 'signup' has already been used for a special outreach project* <http://hciresearch.hci.cs.cmu.edu/SrfarEan/i.ipedia/tool/signup.php>. We should use it more.

- While we ended up with two designs, different designs were collected. Some of those who contributed were very skillful and their talents should be harnessed.

- i.ipedia's account creation process is really only technically lacking in one aspect only* it does not use O;OT for when you choose a username, which means that if that name is taken, the new user may have to redo the entire form instead of getting a warning. This function exists on English -i.ipedia, see [Appendix](#).

If you are thinking about implementing any of these account creation processes, there is a guide for it here* <http://outreach.iimedia.org/w/index.php?title=Gannibal&oldid=10000000>. That guide will probably be moved somewhere else and be continuously updated as more challenges are discovered and new features are being implemented.

□

Of course, there is plenty left to do. Some of the more important things are these*

- "How do we increase the number of people who create accounts?"
- "How do we increase the number of people who start to edit?"
- "How do we make sure they continue to edit?"

We should also develop [the email that is sent to anyone who creates an account](#) and include parts that use the same types of algorithms as [\(uggest:ot\)](#) and Omaeon.com. We should also think about some sort of "I miss you" email to accounts that have been inactive for a period of time.

There have been some talk about adding a flag for new users so that new comers are easily spotted in recent changes. That is a complicated topic that should be brought up on -i.imania and other meetups between -i.ipedians.

More about creating formulaic user pages* [\(structured profile\)](#)

Using the (number of code of %) [O.shay Ogar's article on the Account & creation code](#).

On my experience, some -i.ipedians aren't sure they want a big influence of new -i.ipedians since it takes a lot of effort to train them to become -i.ipedians. If they did want them, they would treat them better. This is an important factor in this change in direction to attract more -i.ipedia editors.

Appendices

Language version	Alternative 1 I wanted to be part of Wikipedia	Alternative 2 I was just curious about what would happen if I created an account	Alternative 3 I thought an account is required to edit articles	Alternative 4 I thought I would get some extra features	Alternative 5 I usually register for websites I like	Alternative 6 I tried to start an article, but I couldn't do that without a user account ²²	Alternative 7 I wanted to upload images	Alternative 8: Other	People responding
: engali	7\$.8 < 47 6	%4.5 < 4%76	4.).) < 4446	%5.5 < 4%86	+.). < 4+46	%4.5 < 4%76	\$.\$. 4%\$6	\$5.5 < 4\$76	\$\$%
(! edish	6).4 < 4 +6	\$7.5 < 4%76	%.4 < 4++6	.\$. < 4\$46	%4.7 < 4+86	%%.7 < 4+56	.\$ < 4\$46	\$.7 < 4\$86	\$55
>erman	66.7 < 4\$686	6.7 < 4\$76	%8.6 < 47%6	6.7 < 4\$76	\$7.5 < 44\$6	\$5. < 44)6	+.6 < 4 6	\$5. < 44)6	%55
Polish	45.5 < 4\$6\$6	\$+.8 < 44 6	\$7.8 < 46+6	%).\$. < 4586	\$6.4 < 4586	+).% < 4\$)76	7. < 4%86	\$+.) < 4466	+5
(panish	7\$.6 < 46\$86	\$%.% < 4\$)56	%8.+ < 4%446	%.8 < 4\$886	+5.5 < 4+)66	\$5.8 < 4\$+66	.) < 4786	\$.) < 4 56	88\$
Bnglish	68.\$ < 4 5%6	\$8.) < 4%5%6	%7.\$ < 4+7 6	%.8 < 4+\$ 6	%+. < 4++46	\$8. < 4%646	\$5.6 < 4%\$86	\$6.\$ < 4%56	\$4\$%
Mean (rounded off to two decimals)	64,02%	15,45%	27,77%	17,67%	24,82%	21,33%	10,72%	13,87%	Total: 3174

²²In many language versions you can create articles without accounts so any answers here are significant of what the new users need.

Language version	Alternative 1 Everybody will know that I helped improve Wikipedia	Alternative 2 It will enable me to customize the appearance and behavior of Wikipedia to my own preferences	Alternative 3 I will get my own user page on Wikipedia. Other users will be able to send me messages.	Alternative 4 I can follow all my favorite topics on Wikipedia.	Alternative 5 My contributions to Wikipedia are not connected to an IP-address, but to a nickname that can't be tracked back to my physical address.	Other/Comments	People responding
German	45. < 44)66 +).+< 4%686	+\$.+< 4+476 +\$.8< 4+%%6	%4.7< 4%\$ 6 6).8< 46\$56	+%.)< 4%8+6 +6.5< 4+6 6	5+.)< 446 6 %7.7< 4%8)6	4\$) \$6 <u>L+M</u> 4\$% 6 <u>L4M</u>	+% \$)5)
Spanish	+\$%< 4%446	\$+< 4\$5\$6	\$+< 4\$5\$6	+6< 44)86	\$5< 4\$756	\$< 4\$+6	\$%))
English variant \$ <u>L5M</u>	45.\$6< 4\$45 6	4%.%5< 4\$+656	4\$. \$< 4\$+546	6.).)4< 4\$ 4)6	+8.\$+< 4\$%+%	8.)8< 4%6\$6	+\$8
English variant % <u>L6M</u>							
PtAPYIG	Total 36,59%	29,34%	35,10%	41,13% LsIccitPsH	33,46%	6371	mnmilia

Interpreting the results

- what conclusions can we draw from these survey results? there are a number of conclusions that are interesting.
 - The number of participants over a short period volunteered by clicking on an extra link after creating an account makes the numbers relatively significant. Of course a longer survey would mean more certainty but the stable results across the survey period suggest that we could get a

- Only a fair share of people thought they needed accounts to create articles which is true for some but not all - i.e. German and Spanish - i.e. Wikipedia only about 5% thought that.
- About a fifth of the new users thought they would get some more features. Whether they know about the features or not is not certain. That's why we added the alternative in the second survey about the watchlists and following articles. In general, German - i.e. Wikipedia has not a big deal.
- Following favorite articles on - i.e. Wikipedia was the most common answer in the second survey, with the notable exceptions of German - i.e. Wikipedia where anonymity is a bigger reason and Spanish - i.e. Wikipedia where getting a user page and being able to send/receive messages are the most important features.
- , ot many Germans were curious about what would happen when they created their accounts. Maybe they had enough information already.
- - when forced to choose one alternative among the others, English - i.e. Wikipedia is the most important reason to create an account. That is also important when they can choose.
- - when not forced to choose one alternative among the others, English - i.e. Wikipedia more than the others that were surveyed like to think with the look and feel of - i.e. Wikipedia.

This is a list of 3 media - i.i messages 4pages6 that administrators can edit8 and that are involved in the account creation process*

Log In / Create Account page

- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2oginerror> @efault Nalue* K2ogin error" 4=ust the title of the error8 ! hen you fail to log in correctly6
- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2oginstart> @efault value* empty. 4in the loginstart div8 located bet ! een the page heading and the user login form6
- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2ogin> @efault Nalue* K2og in"
- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2oginprompt> @efault Nalue* empty. 45n the userloginprompt div8 =ust belo ! the K@on't have an accountI &reate one." line6
- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2ourname> @efault Nalue* K ' sername*"
- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2ourpass!ord> @efault Nalue* KPass ! ord*"
- <http://Den.!i.ipedia.org!i.i?3edia-i.i?2oginend> @efault Nalue* 0ppears to contain all the K(ecure your login" teCt. 4in the loginend div8 =ust belo ! the login and email ne ! pass ! ord buttons6

The page that are assembled by these messages can be seen here* [http://Den.!i.ipedia.org!iindeC.php?titleQ\(pecial* ' ser2ogin](http://Den.!i.ipedia.org!iindeC.php?titleQ(pecial* ' ser2ogin)

User Create Page

-

- [http://Den.1.i.ipedia.org!i.i3edia - i.i*\(ignupend](http://Den.1.i.ipedia.org!i.i3edia-i.i*(ignupend) @efault Nalue* (ee section on [lo "#uality versions](#) 4in the signupend div6

The page that are assembled by these messages can be seen here* [http://Den.1.i.ipedia.org!indeC.phpItileQ\(pecial* 'ser2oginRtypeQsignup](http://Den.1.i.ipedia.org!indeC.phpItileQ(pecial* 'ser2oginRtypeQsignup).

, ote* if you go to that ' / 2 !hile you are logged in8 that page !ill also contain a field as. ing for a reason 4for !hy you are creating another account6.

Confirmation page

This page consists of* [http://Den.1.i.ipedia.org!i.i3edia - i.i*-elcomerecreation](http://Den.1.i.ipedia.org!i.i3edia-i.i*-elcomerecreation)

Function that checks for available usernames

This ;ava(crit chec.s for available usernames) and gives an error message if you try to create a ne ! account ! ith a username that is already ta.en. 5t ! as ! ritten by ['ser*1luff](#) on (! edish - i.ipedia.

The code

```
DU 3 a.ing 0;0 T calls !hen a user !ants to register a ne ! username UUUUUUUUUUUUUUUUUUUUUUUUUUUU  
U  
U @escription* @isplays a teCt noticing the user if the target username is avaible or not.  
U 3 aintainers* LL 'ser*1luffMM  
U 2in. for stats* LL 'ser*1luffDcfau.=sMM  
UD  
var cfauTimer Q falseV  
  
function &10 ' loader 46 W  
  if4!document.getBlement : y5d47 ! p , ame%766 W  
    returnV  
  X  
  
  if44 ! gPage , ame QQ J(pacial*5nloggningJ YY ! gPage , ame QQ J(pacial* ' ser2oginJ6 RR  
  4document.getBlement : y5d47 ! p , ame%76.class , ame QQ JloginTeCtJ66 W  
  
    addGandler4document.getBlement : y5d47 ! p , ame%768 J .eyupJ8 &10 ' timerstart6V  
  var td , ode Q document.getBlement : y5d47 ! p , ame%76.parent , odeV  
  
  var &10 ' span Q document.createElement4span76V  
  &10 ' span.setAttribute4id78 &10 ' result76V  
  td , ode.append&hild4&10 ' span6V  
  X  
  X
```

```
function &10 ' timerstart 46 W
    if4cfauTimer6 W
        ! indo ! .clearTimeout4cfauTimer6V
        X
        if4document.getElementById : y5d47 ! p , ame%76.value.length Z )6 W
            cfauTimer Q ! indo ! .setTimeout47&hec. 1or0vaible ' sername4678 5))6V
            X
        X

function &hec. 1or0vaible ' sername 46 W
    document.getElementById : y5d47&10 ' result76.innerGT 3 2 Q 77V
    in=ect(pinner4document.getElementById : y5d47&10 ' result768 7cfau76V
    var cfau ' sername Q document.getElementById : y5d47 ! p , ame%76.valueV
    cfau ' sername Q cfau ' sername.charAt4)6.to ' pper&ase46 [ cfau ' sername.substr4$6V

if4!cfau ' sername6 W
    alert47Bntry the username you ! ant8 to see if it's available.76V
    returnV
    X
    var aob=ect Q sa=aCHinitHob=ect46V
    try W
        aob=ect.open47>BT78 ! g(erver [ ! g(criptPath [ 7api.phpIformatQCmlRactionQ#ueryRlistQallusersRaumlimitQ$RaufromQ] [
        cfau ' sername8 true6V
        X catch 4e6 W
        thro ! eV
        X
        aob=ect.onreadystatechange Q function46 W
        if 4aob=ect.readyState !=Q 46 W
            returnV
            X
            if 4aob=ect.status QQ %) )6 W
```

```

var res Q aob=ect.responseT 3 2.getElementsByTag , ame47u76L)M.attributesL)M.valueV
remove(pinner47cfau76V
if4res QQ cfau ' sername6 W
    document.getElement : y5d4&10 ' result76.style.color Q 7redV
document.getElement : y5d4&10 ' result76.innerHTML 3 2 Q 7 The username 7 [ cfau ' sername [ 7 is busy.V

X
else W
    document.getElement : y5d4&10 ' result76.style.color Q 7V
document.getElement : y5d4&10 ' result76.innerHTML 3 2 Q 7 The username 7 [ cfau ' sername [ 7 is available.V
    X
X
else W
    if ! e get an http"error8 ! e ! on't bother sho ! ing an error message.
remove(pinner47cfau76V
    X
    XV
    aob=ect.send4null6V
    X
add9nloadGoo.4&10 ' loader6V

```

Implementation

To implement this function on other language versions of - i.ipedia8 copy the code above8 paste it into the ;ava(cript page of the !i.i8 e.g. http://Den. ! i.ipedia.org! i.i3edia - i.i*&common.=s and translate the phrases mar.ed in red above.

Thanks

In many respects I was not the ideal person to handle the Count & Reation Improvement Project. Go however I had many people to help me. Some of them were volunteers such as Ietchcomms / oc. drum / 3 ono / ortion / 0inali / and everybody who made suggestions. (pecial than.s to those who helped out with the surveys.

There has also been a lot of help from - i.imedia Foundation staffers such as Iwan. (chulenburg / oan Oattou / , imish >autam / Oatie Gorn / Go / ie 1ung / - inifred 9liff / Bri. 3 \ller / Aac. BCley / : randon Garris / Ololita (harma / Philippe : eaudette / and (teven - alling.

This report is licensed &&" : ?"(0 +.). This means that you may copy & distribute and remiC it freely as long as you attribute the author and as long as you distribute it under the same/a similar license.

If you want to contact Zennart Wulbrandsson try emailing him at lennart@i.imedia.se.