



Body image disturbance in eating disorders

Paolo Artoni^{1*}

Abstract

Body image disturbance (BID) is a frequent symptom in patients with [eating disorders](#). The symptom occurs mainly in patients with anorexia nervosa continuing to perceive themselves as average weight or even overweight despite being severely underweight.^[1] An altered perception of one's body and a severe state of bodily dissatisfaction characterizing the body image disturbance. This symptom is included among the diagnostic criteria for anorexia nervosa in DSM-5 (criterion C).^[2] The disturbance is associated with significant bodily dissatisfaction and is a source of severe distress, often persists in eating disorders after treatments,^{[3][4]} and is considered hard to treat.^[3] Thus, effective [body image interventions](#) could improve the prognosis in patients with ED, as [Hilde Bruch](#) suggested.^[5] Unfortunately, there is no hard evidence that current treatments for body image disturbance effectively reduce eating disorders' symptoms.^[6] Furthermore, pharmacotherapy is ineffective in reducing body misperception and it has been used to focus on correlated psychopathology (mood or anxiety disorders).^[7] However, to date, research and clinicians are developing new therapies such as virtual reality experiences,^{[8][9]} mirror exposure^[10] or [multisensory integration](#) body techniques,^{[11][12]} which are showing promising results.

Characteristics



Figure 1. Hilde Bruch, 1960

Maria Luigia Hospital, Via Montepelato Nord, 41, 43022 Monticelli Terme PR, Italy.

Supplementary material: commons.wikimedia.org/location

Licensed under: [CC-BY 4.0](#)

Received 24-02-2022; accepted 18-02-2024

[Hilde Bruch](#) first identified and described body image disturbance in [anorexia nervosa](#). In her famous article "Perceptual and Conceptual Disturbances in Anorexia Nervosa" ^[5] she wrote:

“ What is pathognomic of anorexia is not the severity of the malnutrition per se—equally severe degrees are seen in other malnourished psychiatric patients—but rather the distortion of body image associated with it: the absence of concern about emaciation, even when advanced, and the vigor and stubbornness with which the often gruesome appearance is defended as normal and right, not too thin, and as the only possible security against the dreaded fate of becoming fat. ^[5] ”

—Hilde Bruch, *Psychosomatic Medicine*, 1962

Body Image Disturbance in Eating Disorders

Body image disturbance (BID) plays a critical role in eating disorders, often manifesting as a distorted view of one's self and physical appearance. This misperception can lead to severe and unhealthy eating behaviours, a symptom particularly noted in those diagnosed with anorexia nervosa^[13].

However, body image disturbance is not specific to anorexia nervosa^{[14][15]} but is sometimes present in other eating disorders such as [bulimia nervosa](#)^[16] and [binge eating disorder](#).^[17] Altered body perception is not a phenomenon exclusive to anorexia nervosa or eating disorders, but rather extends beyond these conditions^[18]. Recent studies contribute to a growing consensus that alterations in body perception are not exclusive to pathological states. Sadibolova et al.'s exploration of body perception in three dimensions challenges conventional methodologies focused on one or two dimensions, revealing complex perceptual distortions in healthy adults^[19]. For instance, their findings suggest discrepancies between perceived and actual sizes of body parts, implying an internal representation akin to a somatosensory homunculus.

Similarly, D'Amour and colleagues demonstrate dynamic changes in body size perception following exposure to distorted images^[20]. Collectively, this and other studies on the topic^{[21][22]} indicate that slightly altered body perception is a normative aspect of human experience, potentially intensifying in vulnerable individuals, such as those with eating disorders. In these pathologies, the nature and magnitude of perceptual distortions may be significantly greater compared to the general population, suggesting a nuanced understanding of body image disturbances across the spectrum of mental health.

Definition of body image disturbance

Different labels are used in research and clinical setting to define the body image disturbance generating terminological confusion. Some of the most used terms are "body image discrepancy",^[13] "body image self-discrepancy",^[23] "body image distortion",^[1] "disturbed body image",^[24] "disturbances in body estimations",^[25] "body image disturbance",^[26] and "negative body image".^[27] Sometimes, the term "[body dissatisfaction](#)" is also used to refer to body image disturbance indiscriminately.^[28] Moreover, the DSM-5 itself defines this symptom vaguely: "a disturbance in the way one's body weight or shape is experienced".^[2] Thus, the lack of a clear definition is problematic from both a clinical and basic research point of view.

However, most recent studies define "body image disturbance" as a multidimensional symptom comprising various components of [body image](#).^{[29][16][3][11][12]}^[30] Specifically, we usually describe [body image](#) as a concept formed by the interaction of four body-related components: cognitive, affective, behavioural, and perceptual.

- Cognitive: thoughts and beliefs about one's body and its shape; it also consists of a conscious mental representation of one's body.^[31]
- Affective: feelings and attitudes related to the body (e.g., bodily satisfaction/dissatisfaction).^[32]
- Behavioral: actions that people perform to check on, modify, or hide their body parts.
- Perceptual: how one's body is perceived; it includes [proprioceptive](#), [interoceptive](#), [tactile](#), and visual self-perception.^{[33][34]}

All of these components are altered in body image disturbance.^{[12][35]}

Signs and Symptoms

Delving into the specific aspects of body image disturbance, this condition encompasses both perceptual and attitudinal issues. Common signs include:

- altered body size estimation and altered perception of the body and its shapes.
- mental images of one's distorted and overweight body.
- frequently third-person mental view of one's body.
- negative thoughts like "I'm fat" or "my thighs are huge."
- frequent body-checking behaviors.
- frequent comparisons between one's body and that of others
- emotions of anxiety, shame, and contempt for one's body

Clinically speaking, a growing body of research suggests that body image disturbance plays a significant role in the onset,^[36] maintenance,^{[37][38]} and relapse of [anorexia nervosa](#),^[39] as previously suggested by Hilde Bruch in 1962.^[5] However, despite increasing evidence, a recent review stated that the available empirical data are still insufficient and "provide no basis to answer the question whether body image disturbance is a (causal) risk factor for anorexia nervosa".^[40] As suggested by the authors, this lack of evidence is partly related to terminology problems used in the [body image field](#).^{[32][41]}

Refining the concept of Body Image Disturbance

Consistently, Artoni and colleagues proposed a more clarifying definition of body image disturbance in 2021.^[12] The authors suggested using the term "bodily dissatisfaction" when there are alterations in the body image's affective, cognitive, and behavioural components and strictly using "body image disturbance" only when all four components are altered, including the perceptual one. In short, they define body image disturbance as when an altered perception of the shape and weight of one's body is present and aggravates body dissatisfaction. The term is literally consistent with DSM-5 description "a disturbance in the way weight and body shapes are experienced"^[2] and it is therefore "preferable to others".

Altered components in body image disturbance

Cognitive

Patients with body image disturbance exhibit an altered conscious representation of their bodies. This representation is a third-person perspective, more precisely an allocentric representation of the body,^[42] which means how the body's image is stored in the memory. This representation is evoked in self-image tasks, such as comparing one's body with others or drawing one's body shapes. However, in patients with anorexia nervosa and bulimia nervosa, this mental representation of the body is frequently overextended compared to the actual body shapes^[43]. Also, patients with anorexia nervosa show negative thoughts about their body, such as "I'm too fat," "I'm horrible," and other negative body-related thoughts^[44]. In some cases, however, the ideal internalized body has canons of pathological thinness (e.g., a body without female shapes or "that communicates suffering"). A "sick body" could be a critical maintenance factor, generating more attention from family members, reducing the requests and expectations of others^[45], and sexual attractiveness (especially in patients with sexual trauma).^[46]

Affective

Affective alterations concern the feelings and emotions experienced towards one's body. Body dissatisfaction is frequently present,^{[1][47]} sometimes related to anxiety^[48] and shame^[49] when the body is exposed or gazed at in a mirror. In some cases, anger and feelings of aggression towards one's body are reported.^[50] Congruent with the [self-objectification theory](#), one's body is frequently experienced only as an

"object to be modified" and not as a "subject to take care of".^[51] Fear is associated with the idea of getting fat.^[50]

Behavioral

The behavioral component of body image disturbance contemplates different body-checking behaviors^[52] such as repeatedly weighing during the day, spending much time in front of the mirror or avoiding it, frequently taking [selfies](#), checking parts of the body with hands (e.g. circumference of the wrists, arms, thighs, belly or hips). Other behaviors are avoiding situations in which the body is exposed (for example, the swimming pool or the sea), and wearing very loose and covering clothes.^[53] More generally, avoidance of bodily sensations, particularly the interoceptive ones, is reported.^[54]

Perceptual

In body image disturbance, several perceptual domains are altered. Visual perception is the most studied,^{[55][56][57]} but research found misperceptions in other sensory domains such as haptic^[58] tactile,^[59] affective-touch.^[60] Also, the body schema is overextended.^[61] Some research suggested that this is related to a general enlarged mental representation of body size.^[62] A recent study published on *Nature*^[63] also highlighted how a perceptual disturbance is present in subjects recovered from anorexia nervosa even without affective-cognitive body concerns. Finally, interoception, the "sense of the physiological condition of the body"^[64] is problematic in eating disorders.^[65]

Onset

The age of onset for body image disturbance is often early adolescence.^{[66][67]} Age in which the comparison with peers becomes significant and leads to a greater sensitivity towards criticism and teasing about one's physical appearance. Furthermore, puberty leads to rapid changes in body size and shape that need to be integrated into the body image.^[68] For this reason, adolescence is considered a critical age, with a greater vulnerability to internalizing ideals of thinness,^[69] to develop body dissatisfaction, body image disturbance^[66] and eating disorders.^[70] In a recent review, eight on-topic studies were analyzed. The authors found that most adolescents with anorexia nervosa and bulimia nervosa already had body-checking behaviors, negative body-related emotions and feelings, low body satisfaction, and an altered estimate of their body size compared to healthy controls.^[66]

The influence of societal factors like fat shaming and media exposure plays a crucial role in shaping body image dissatisfaction. Studies have shown that frequent exposure to thin-ideal messages in media, such as through television programs, music videos, and edited selfies on social media, is associated with increased body dissatisfaction and disordered eating behaviors, particularly in adolescent girls.^{[71][72][73]} Additionally, the presence of fat shaming in society exacerbates this issue, negatively impacting adolescents' self-esteem and emotional well-being. Mond et al. (2011) found that weight-related body dissatisfaction in overweight adolescents is primarily due to societal and peer pressures rather than inherent self-perceptions.^[74] These societal influences, combined with the peer comparisons and body changes during adolescence, create a potent mix that can significantly affect young individuals' mental health and self-image, leading to an increased vulnerability to body image disturbances and eating disorders. This mix also heightens the risk of developing anxiety, depression, and mood disorders, as the pressures and changes can be overwhelming and lead to psychological distress. Additionally, gender differences play a crucial role in this context; girls are often more susceptible to internalizing societal standards of thinness and beauty, which can exacerbate their risk of body image issues and eating disorders.^[75] On the other hand, boys may face different pressures, such as the idealization of a muscular physique, and may experience these mental health challenges differently. In the United States, the prevalence of body dissatisfaction ranges from 13.4% to 31.8% among women and 9.0% to 28.4% among men, highlighting a significant concern across genders.^[76] Unfortunately, how one passes from an initial dissatisfaction with one's body to an actual perceptual disorder is still unknown despite its clinical relevance.^[77]

Body image disturbance and body dissatisfaction

Body dissatisfaction and body image disturbance are closely related. Personal, interpersonal, cultural, social, and ethnic variables largely influence bodily dissatisfaction,^[78] influencing the emergence of painful feelings towards one's body. In addition, social pressure is considered a risk factor for body dissatisfaction. For example, the frequent presence on media of thin female bodies determines, especially in young girls, a daily comparison between their bodies and models and actresses favouring bodily dissatisfaction;^[79] comparing an "ideal" and "real" body feed an intense dissatisfaction with one's body and increases the feeling of shame, disgust, and anxiety towards the one's body and appearance.^[80]

Dissatisfaction with one's body involves only three of the four components of the body image. Those suffering from bodily dissatisfaction can have negative thoughts about one's body (e.g., "I'm ugly" or "I'm too short"). In addition, they may have behaviors related to bodily dissatisfaction (e.g., going on a diet or resorting to cosmetic surgery^{[81][82]}). They may also have negative feelings of dissatisfaction with their body and be ashamed of showing it in public.^[78] However, all these aspects are not enough to define it as a body image disturbance. In fact, there is no perceptual alteration of one's body. Thus, body image disturbance cannot be overlapped by body dissatisfaction, but they are closely related.^[83]

Body image disturbance and body dysmorphic disorder

Body image disturbance in anorexia and **body dysmorphic disorder** are similar psychiatric conditions that involve an altered perception of the body or parts of it but are not the same disorder. Body image disturbance is a symptom of **anorexia nervosa** and is present as criterion C in the DSM-5,^[2] and alters the perception of weight and shapes of the whole body. Patients with anorexia believe that they are overweight, perceive their body as "fat" and misperceive their body shapes.^[84] **Body dysmorphic disorder** is an **obsessive-compulsive disorder** characterized by disproportionate concern for minimal or absent individual bodily flaws, which cause personal distress and social impairment^[85] Patients with BDD are concerned about physical details, mainly the face, skin, and nose.^[86] Thus, both **anorexia nervosa** and **body dysmorphic disorder** manifest significant disturbances in body image but are different and highly comorbid.^[87] For example, Grant and colleagues reported that 39% of AN patients in their sample had a comorbid diagnosis of body dysmorphic disorder, with concerns unrelated to weight.^[88] Cereaet et al., reported that 26% of their AN sample had a probable BDD diagnosis with non-weight-related body concerns.^[89]

Similarities

Previous studies found that both BDD and eating disorder groups were similar in body dissatisfaction, body checking, body concerns,^[90] and levels of perfectionism.^[91] Furthermore, both BDD and AN patients report higher intensities of negative emotions, lower intensities of positive emotions,^[92] lower self-esteem,^[91] and anxiety symptoms.^[93] Moreover, we find severe concerns about one's appearance, leading to a continuous confrontation with others' bodies in both diseases. In

addition, body image disturbances and body dysmorphic disorder generally onset during adolescence. Finally, alterations in visual processes seems to be present in both disorders, with greater attention to detail and difficulty in perceiving stimuli holistically.^[94] Indeed neurophysiology and neuroimaging research suggests similarities between BDD and AN patients in terms of abnormalities in visuospatial processing.^{[95][96]}

Differences

Despite many similarities, the two disorders also have significant differences.^[97] The first is gender distribution. Body image disturbance is much more present in females,^[98] unlike BDD, which has a much less unbalanced relationship between men and women.^[99] Furthermore, those with **dysmorphophobia** tend to have more significant inhibitions and avoidance of social activities than those suffering from anorexia nervosa.^[99] Differences are self-evident when considering the focus of physical concerns and misperception in AN and BDD. Whereas BDD patients report concerns and misperception in specific body areas (mainly face, skin, and hair),^[100] in patients with AN the altered perception could involve arms, shoulders, thighs, abdomen, hips, and breasts, and concerns are about the whole body shape and weight.^[97] Thus, leading to an alteration of the entire explicit (**body image**)^[1] and implicit (**body schema**)^[101] body's mental representations.^[102] Furthermore, in anorexia nervosa, not only the visual perception of one's body is altered but also the tactile^[103] and interoceptive perception.^{[104][105]}

Finally, a recent review suggested that the two disorders could be classified as "body image disturbances" (plural) in light of similarities and differences. Although more in-depth studies are needed to confirm this new classification hypothesis.^[87]

Diagnosis

Body image disturbance is not yet clearly defined by official disease classifications. However, it appears in the DSM-5 as criterion C for anorexia nervosa and vaguely described as "a disturbance in the way weight and body shapes are experienced" and "the persistent lack of recognition of the severity of the current significantly low body weight".^[2] Thus, diagnosis is usually based on reported signs and symptoms; there are still no biological markers for body image disturbance. Numerous psychometric instruments to measure body image's cognitive, affective, and behavioral components are

also used. Among the most used in the clinical setting, we mention.

Eating Disorder Inventory 3

The Eating Disorder Inventory 3 (EDI-3) represents an improvement of the earlier versions of the EDI, a self-report questionnaire widely used both in research and clinical settings. It consists of 91 questions, and items are rated on a six-point Likert-type scale (always, usually, sometimes, rarely, never), with higher scores representing more severe symptoms. Precisely, the BD subscale of EDI-3 measures bodily dissatisfaction.^[106]

Body Uneasiness Test

The body uneasiness test (BUT) is a self-administered questionnaire. It explores several areas in clinical and non-clinical populations: weight phobia, body image-related avoidance behavior, compulsive self-monitoring, detachment and estrangement feelings toward one's own body. Besides, explore specific worries about particular body parts, shapes, or functions. Higher scores indicate significant body uneasiness.^[107]

The Body Image Disturbance Questionnaire

The body Image Disturbance Questionnaire investigates different areas related to body image disturbance. For example, evaluate the most problematic parts of the body, the psychological effects of worries on the body, and the effects on social life and eating behavior.^[108]

The Body Shape Questionnaire

The Body Shape Questionnaire is a 34-item self-assessment questionnaire designed to measure the degree of dissatisfaction with the weight and shape of one's body. It includes questions about the fear of weight gain and the urge/desire to lose weight.^[109]

The Body Checking Questionnaire

The Body Checking Questionnaire (BCQ) is a 23-item tool measuring the frequency and intensity of body checking behaviors, common in eating disorders, assessing general appearance, specific body parts, and idiosyncratic behaviors. Clinically, the BCQ aids in diagnosing and monitoring eating disorders, highlighting the role of body checking in the psychopathology of these conditions.^[110]

Brain alterations

fMRI studies examining brain responses in anorexia nervosa patients to paradigms that include body image tasks have found altered activation across different brain areas: the **prefrontal cortex**, **precuneus**, **parietal cortex**, **insula**, **amygdala**, **ventral striatum**, **extrastriate**

body area, and fusiform gyrus.^[111] However, as Janet Treasure commented, "the research [in the field] is fragmented, and the mechanism of how these areas map onto the functional networks described above needs further study [...] the mechanism by which the extremes of body distortion are driven and circuitry is not known yet."^[1]

Treatments

Treatments focused on cognitive, affective and behavioral components

Historically, research and clinicians have mainly focused on body image disturbance's cognitive, affective, and behavioral components. Consequently, treatments generally target symptoms such as body checking, dysfunctional beliefs, feelings, and emotions relating to the body. One of the best-known forms of psychotherapy in the field is CBT-E.^[112] CBT-E is a form of cognitive-behavioral therapy that has been enhanced with particular strategies to address the psychopathology of eating disorders. These include reducing negative thoughts and worries about body weight and shape, reducing clinical perfectionism, and body-checking behavior.^[113] A recent review has shown that CBT-E effectively reduces core symptoms in eating disorders, including concerns about the body. Despite this, the results of CBT-E are no better than other forms of treatment.^[114] In fact, a therapy of choice for eating disorders in adults has not yet been identified.^[1]

Additionally, two other noteworthy body image treatments are Cash's "Body Image Workbook"^[115] and Body Wise.^[116] The former is an 8-step group treatment within a classic cognitive-behavioral framework. The latter is a psychoeducational-based treatment improved with cognitive remediation techniques to promote awareness of body image difficulties, and reduce cognitive inflexibility and body dissatisfaction. Worthy of mention is The Body Project,^[117] an eating disorder prevention program within a dissonant-cognitive framework that provides a forum for high school girls and college-age women to confront unrealistic-looking ideals and develop a healthy body image and self-esteem. It has been repeatedly shown to effectively reduce body dissatisfaction, negative mood, unhealthy diet, and disordered eating.^[118] The Body Project is therefore not a treatment for eating disorders but a prevention program.

Treatments focused on perceptive component

New treatments for body image disturbance have re-

cently been developed, focusing on the disorder's perceptual component. One of the best known is **Mirror Exposure**. Mirror Exposure^[10] is a cognitive-behavioral technique that treatment aims to reduce experiential avoidance, reduce bodily dissatisfaction, and improve one's misperception of one's body. During the exposure, patients are invited to observe themselves in front of a large full-length mirror. There are different types of mirror exposure, guided exposure, unguided exposure, exposure with mindfulness exercises, cognitive dissonance-based mirror exposure.^{[119][120]} To date, few studies have investigated the effects of mirror exposure in patients with body image disturbance. Key et al.^[121] conducted a non-randomized trial in a clinical sample and compared a body image group therapy with or without mirror exposure. They found a significant improvement in body dissatisfaction only in the mirror exposure therapy group. Despite the positive evidence, a recent review suggests that Mirror Exposure has a low-to-medium effect in reducing body image disturbance and further studies are needed to improve it.^[122]



Figure 2. Common VR Research Setting

Another novelty treatment for body image disturbance is [Virtual Reality - Body Swapping](#). VR-Body Swapping is a technique that allows generating a body illusion during a virtual reality experience. Specifically, after building a virtual [avatar](#) using [3D modelling software](#), it is possible to generate the illusion that the avatar's body is one's own body through a specific procedure. The avatar is a 3D human body model that simulates the actual size of the patient and can be modified directly. Some studies have found that applying this technique to anorexia nervosa reduces the misperception of one's body.^{[30][123]} This treatment is promising but provides, at the moment, only a short-term effect.^[124]

Additionally, a recent study by Emily M Choquette and colleagues has brought attention to the potential benefits of Floatation-REST (Reduced Environmental Stimulation Therapy) for body image disturbance and anxiety in anorexia nervosa. This parallel group randomized controlled trial found that participants receiving Floatation-REST sessions exhibited significant reductions in body dissatisfaction and anxiety compared to those receiving usual care. These effects were noted both acutely after each float session and at a six-month follow-up, suggesting the potential utility of Floatation-REST in treating body image disturbance and anxiety in anorexia nervosa. However, further research is needed to confirm these findings and explore their generalizability.^[125]



Figure 3. Hoop Training Session

However, other treatments for body image disturbance have also recently been developed to integrate tactile, proprioceptive, and interoceptive one's body perception, the [Hoop Training](#) and the [Body Perception Treatment](#). Hoop Training is a short-term 8-week intervention (10 minutes per session) designed to become aware of and reduce body misperceptions. Hoop Training works on different components of body image disturbance: the cognitive, affective, and perceptive ones.^[11]

Another novelty is the [Body Perception Treatment](#) (BPT). BPT is a specific group intervention for body image disturbance focused on tactile, proprioceptive, and interoceptive self-perceptions during a body-focused experience.^[12] The treatment is consistent with the recent hypothesized role of [interoception](#) in developing body image disturbance by Badout & Tsakiris.^[54]

Both Hoop Training and Body Perception Treatment showed effective results and were designed to work within a [multisensory integration](#) framework.^{[11][12]} Indeed, they also complement and do not replace current standard therapies for eating disorders. However, both are also novelty treatments, and the results have not yet been replicated in independent studies. Thus, their actual effectiveness will be confirmed/disconfirmed by future research.

General Conclusion and Implications

As we conclude this comprehensive exploration of body image disturbance (BID), several key implications emerge, both for future research and clinical practice. Initially identified by Hilde Bruch in the context of anorexia nervosa, BID has since been recognized as a complex, multidimensional symptom prevalent in various eating disorders. This disturbance encompasses cognitive, affective, behavioral, and perceptual components, each contributing to the distorted self-perception seen in individuals with BID.

One of the primary challenges in addressing BID lies in its definitional ambiguity. The term has evolved to encapsulate a spectrum of body-related dysfunctions, yet a clear, unified definition remains elusive. This lack of clarity poses difficulties in both clinical diagnosis and research methodologies. However, it's crucial to distinguish between mere body dissatisfaction and true perceptual distortion, a distinction that underlines the severity and clinical significance of BID.

The onset of BID is often linked to developmental and societal factors, particularly during the tumultuous pe-

riod of adolescence. Here, external influences like media exposure and societal standards of beauty play a pivotal role in shaping self-perception and body image. These influences are particularly potent among adolescents, making them a vulnerable group for developing BID and associated eating disorders. In comparing BID with body dysmorphic disorder (BDD), we find notable similarities in perceptual distortions, but also crucial differences in the focus of concern and associated behaviors. This comparative analysis underscores the nuanced nature of body image-related disorders and the need for tailored approaches in both diagnosis and treatment.

Assessment tools like the Eating Disorder Inventory and the Body Uneasiness Test have been instrumental in diagnosing BID, yet the absence of biological markers continues to challenge clinicians. Treatment approaches have evolved from focusing primarily on cognitive and behavioral aspects to incorporating novel methods that address the perceptual component of BID, such as Mirror Exposure, Body Perception Treatment and Virtual Reality techniques.

In conclusion, while substantial progress has been made in understanding and treating Body Image Disturbance (BID), it remains a multifaceted and intricate condition necessitating continued research and innovation in therapeutic strategies. The societal and developmental dimensions underpinning BID necessitate a broader approach, incorporating public awareness and preventive measures, especially targeted at adolescents. This continued exploration is vital for a deeper understanding and more effective addressing of body image disturbance across various contexts.

Furthermore, advancing scientific research, particularly in understanding how egocentric and allocentric representations of the body interact with each other, holds the potential for valuable insights into the comprehension and treatment of BID. Egocentric representations, centered around motor functions, are presumably linked to the parieto-premotor circuits. These are crucial for direct, movement-related perceptions and interactions with the environment. In contrast, allocentric representations of the body and bodily memories in allocentric format reflect the activity of grid and place cells in the hippocampus and entorhinal cortex, playing a significant role in spatial navigation and memory.

Therefore, exploring the interplay between these two types of representations could unravel new dimensions of how individuals with BID perceive and interact with their bodies and surroundings. This understanding could lead to more targeted and effective interventions,

blending cognitive, perceptual, and motor aspects of body image, and could potentially offer new avenues for treatment, combining neurophysiological insights with psychological and behavioral approaches. In this pursuit, the field of BID research stands at the frontier of integrating neuroscience with mental health, offering a promising path for future developments.

Limitations

In the present work of synthesis on Body Image Disturbance (BID) in eating disorders, we must acknowledge several critical limitations that influence the scope and depth of our understanding.

Lack of a Clear and Shared Definition

A primary challenge in BID research is the absence of a universally accepted definition. This lack complicates the analysis of literature and differentiating body dissatisfaction from body image disturbance. A more precise definition, as proposed by researchers like Artoni et al.,^[14] could significantly contribute to distinguishing these two aspects more clearly, aiding accurate categorization of research findings and the development of targeted interventions.

Challenges in Studying Perceptual Disturbance

BID, by its nature, involves perceptual disturbances that are intrinsically subjective. Current research tools and methodologies often capture only a portion of this subjective phenomenon. The perceptual component of body image is multifaceted, involving not just visual and attitudinal aspects but also tactile, proprioceptive, and interoceptive elements. This complexity necessitates the development of more sophisticated and nuanced tools that can fully capture the breadth of perceptual disturbances in BID as suggested by Gadsby.^[15]

Neurophysiological Understanding

One key limitation in this domain is our incomplete knowledge of the neurophysiological basis for body representation. It is presumed that egocentric representations, which are vital for movement, are linked to visuo-motor transformations and the circuits within the parieto-premotor regions.^[21] Additionally, the formation of body memories from an allocentric point of view probably involves grid and place cells located in the hippocampal gyrus and the entorhinal cortex.^[22] However, the precise manner in which these

egocentric and allocentric representations interact remains unclear. This gap in understanding is partly due to the lack of data on non-human primates, marking it as an entirely unexplored area in basic research. This uncertainty underscores a significant limitation in our current understanding of how body representation processes operate at a neurophysiological level.

References

- Treasure, Janet; Zipfel, Stephan; Micali, Nadia; Wade, Tracey; Stice, Eric; Claudino, Angélica; Schmidt, Ulrike; Frank, Guido K. et al. (2015-11-26). "Anorexia nervosa". *Nature Reviews Disease Primers* 1 (1): 15074. doi:10.1038/nrdp.2015.74. ISSN 2056-676X. PMID 27189821.
- "Feeding and Eating Disorders", *Diagnostic and Statistical Manual of Mental Disorders*, American Psychiatric Association, 2013-05-22, doi:10.1176/appi.books.9780890425596.dsm10, ISBN 978-0-89042-555-8, retrieved 2021-08-01
- Eshkevari, Ertimiss; Rieger, Elizabeth; Longo, Matthew R.; Haggard, Patrick; Treasure, Janet (2014). "Persistent body image disturbance following recovery from eating disorders". *International Journal of Eating Disorders* 47 (4): 400–409. doi:10.1002/eat.22219. ISSN 1098-108X. PMID 24243423.
- Engel, Manja M.; Keizer, Anouk (2017-11-23). "Body representation disturbances in visual perception and affordance perception persist in eating disorder patients after completing treatment". *Scientific Reports* 7 (1): 16184. doi:10.1038/s41598-017-16362-w. ISSN 2045-2322. PMID 29170439. PMC 5701063.
- Bruch, Hilde (1962). "Perceptual and Conceptual Disturbances in Anorexia Nervosa". *Psychosomatic Medicine* 24 (2): 187–194. doi:10.1097/00006842-196203000-00009. ISSN 0033-3174. PMID 13873828.
- Alleva, Jessica M.; Sheeran, Paschal; Webb, Thomas L.; Martijn, Carolien; Miles, Eleanor (2015-09-29). "A Meta-Analytic Review of Stand-Alone Interventions to Improve Body Image". *PLOS ONE* 10 (9): e0139177. doi:10.1371/journal.pone.0139177. ISSN 1932-6203. PMID 26418470. PMC 4587797.
- Ziser, Katrin; Mölbert, Simone Claire; Stuber, Felicitas; Giel, Katrin Elisabeth; Zipfel, Stephan; Junne, Florian (2018). "Effectiveness of body image directed interventions in patients with anorexia nervosa: A systematic review". *International Journal of Eating Disorders* 51 (10): 1121–1127. doi:10.1002/eat.22946. ISSN 1098-108X. PMID 30189104.
- Clus, Damien; Larsen, Mark Erik; Lemey, Christophe; Berrouguet, Sofian (2018-04-27). "The Use of Virtual Reality in Patients with Eating Disorders: Systematic Review". *Journal of Medical Internet Research* 20 (4): e157. doi:10.2196/jmir.7898. ISSN 1438-8871. PMID 29703715. PMC 5948410.
- Porras-Garcia, Bruno; Serrano-Troncoso, Eduardo; Carulla-Roig, Marta; Soto-Usera, Pau; Ferrer-Garcia, Marta; Figueras-Puigderajols, Natàlia; Yilmaz, Lena; Onur Sen, Yigit et al. (2020-05-15). "Virtual Reality Body Exposure Therapy for Anorexia Nervosa. A Case Report With Follow-Up Results". *Frontiers in Psychology* 11: 956. doi:10.3389/fpsyg.2020.00956. ISSN 1664-1078. PMID 32499742. PMC 7242758.
- Delinsky, Sherrie Selwyn; Wilson, G. Terence (2006). "Mirror exposure for the treatment of body image disturbance". *The International Journal of Eating Disorders* 39 (2): 108–116. doi:10.1002/eat.20207. ISSN 0276-3478. PMID 16231342.
- Keizer, Anouk; Engel, Manja M.; Bonekamp, José; Van Elburg, Anemarie (2019). "Hoop training: a pilot study assessing the effectiveness of a multisensory approach to treatment of body image disturbance in anorexia nervosa". *Eating and Weight Disorders: EWD* 24 (5): 953–958. doi:10.1007/s40519-018-0585-z. ISSN 1590-1262. PMID 30288723. PMC 6751149.
- Artoni, Paolo; Chierici, M. L.; Arnone, F.; Cigarini, C.; De Bernardis, E.; Galeazzi, G. M.; Minneci, D. G.; Scita, F. et al. (2021). "Body perception treatment, a possible way to treat body image disturbance in eating disorders: a case-control efficacy study". *Eating and Weight Disorders: EWD* 26 (2): 499–514. doi:10.1007/s40519-020-00875-x. ISSN 1590-1262. PMID 32124409.
- Pétre, Benoit; Scheen, André J.; Ziegler, Olivier; Donneau, Anne-Françoise; Dardenne, Nadia; Husson, Eddy; Albert, Adelin; Guillaume, Michèle (2016). "Body image discrepancy and subjective norm as mediators and moderators of the relationship between body mass index and quality of life". *Patient Preference and Adherence* 10: 2261–2270. doi:10.2147/PPA.S112639. ISSN 1177-889X. PMID 27853356. PMC 5104290.
- Moore, Christine A.; Bokor, Brooke R. (2024). *Anorexia Nervosa*. Treasure Island (FL): StatPearls Publishing.
- Moccia, Lorenzo; Conte, Eliana; Ambroseccia, Marianna; Janiri, Delfina; Di Pietro, Salvatore; De Martin, Valentina; Di Nicola, Marco; Rinaldi, Lucio et al. (2022-02). "Anomalous self-experience, body image disturbance, and eating disorder symptomatology in first-onset anorexia nervosa". *Eating and weight disorders: EWD* 27 (1): 101–108. doi:10.1007/s40519-021-01145-0. ISSN 1590-1262. PMID 33661516. PMC 8860951.
- Hosseini, Seyed Alireza; Padhy, Ranjit K. (2021). "Body Image Distortion", *StatPearls*, Treasure Island (FL): StatPearls Publishing, PMID 31536191, retrieved 2021-07-31
- Lewer, Merle; Bauer, Anika; Hartmann, Andrea S.; Vocks, Silja (2017). "Different Facets of Body Image Disturbance in Binge Eating Disorder: A Review". *Nutrients* 9 (12): 1294. doi:10.3390/nu9121294. PMID 29182531. PMC 5748745.
- Hosseini, Seyed Alireza; Padhy, Ranjit K. (2024). *Body Image Distortion*. Treasure Island (FL): StatPearls Publishing.
- Sadibolova, Renata; Ferrè, Elisa R.; Linkenauger, Sally A.; Longo, Matthew R. (2019-02-01). "Distortions of perceived volume and length of body parts". *Cortex* 111: 74–86. doi:10.1016/j.cortex.2018.10.016. ISSN 0010-9452. PMID 30471452.
- D'Amour, Sarah; Alexe, Deborah; Harris, Laurence R. (2022-04). "Changes in the perceived size of the body following exposure to distorted self-body images". *Royal Society Open Science* 9 (4). doi:10.1098/rsos.210722. ISSN 2054-5703. PMID 35462776. PMC PMC9019518.
- Longo, Matthew R. (2017-03). "Distorted body representations in healthy cognition". *Quarterly Journal of Experimental Psychology* (2006) 70 (3): 378–388. doi:10.1080/17470218.2016.1143956. ISSN 1747-0226. PMID 26823038.
- Filippetti, Maria Laura; Johnson, Mark H.; Lloyd-Fox, Sarah; Dragovic, Danica; Farroni, Teresa (2013-12-02). "Body Perception in Newborns". *Current Biology* 23 (23): 2413–2416. doi:10.1016/j.cub.2013.10.017. ISSN 0960-9822. PMID 24268410. PMC 3898688.
- Solomon-Krakus, Shauna; Sabiston, Catherine M.; Brunet, Jennifer; Castonguay, Andree L.; Maximova, Katerina; Henderson, Melanie (2017-01-01). "Body Image Self-Discrepancy and Depressive Symptoms Among Early Adolescents". *Journal of Adolescent Health* 60 (1): 38–43. doi:10.1016/j.jadohealth.2016.08.024. ISSN 1054-139X. PMID 27793726.

24. Horne, R. L.; Van Vactor, J. C.; Emerson, S. (1991). "Disturbed body image in patients with eating disorders". *The American Journal of Psychiatry* **148** (2): 211–215. doi:10.1176/ajp.148.2.211. ISSN 0002-953X. PMID 1987820.
25. Casper, R. C.; Halmi, K. A.; Goldberg, S. C.; Eckert, E. D.; Davis, J. M. (1979). "Disturbances in body image estimation as related to other characteristics and outcome in anorexia nervosa". *The British Journal of Psychiatry: The Journal of Mental Science* **134**: 60–66. doi:10.1192/bjps.134.1.60. ISSN 0007-1250. PMID 570073.
26. Feusner, Jamie; Deshpande, Rangaprakash; Strober, Michael (2017). "A translational neuroscience approach to body image disturbance and its remediation in anorexia nervosa". *International Journal of Eating Disorders* **50** (9): 1014–1017. doi:10.1002/eat.22742. ISSN 1098-108X. PMID 28755487. PMC 5752143.
27. Spreckelsen, Paula von; Glashouwer, Klaske A.; Bannik, Elise C.; Wessel, Ineke; de Jong, Peter J. (2018). "Negative body image: Relationships with heightened disgust propensity, disgust sensitivity, and self-directed disgust". *PLOS ONE* **13** (6): e0198532. doi:10.1371/journal.pone.0198532. ISSN 1932-6203. PMID 29870558. PMC 5988313.
28. McLean, Siân A.; Paxton, Susan J. (2019). "Body Image in the Context of Eating Disorders". *The Psychiatric Clinics of North America* **42** (1): 145–156. doi:10.1016/j.psc.2018.10.006. ISSN 1558-3147. PMID 30704635.
29. Cash, Thomas F.; Grant, Jill R. (1996). "Cognitive—Behavioral Treatment of Body-Image Disturbances". *Sourcebook of Psychological Treatment Manuals for Adult Disorders*. Boston, MA: Springer US. pp. 567–614. doi:10.1007/978-1-4899-1528-3_15. ISBN 978-1-4899-1530-6.
30. Serino, Silvia; Pedrol, Elisa; Keizer, Anouk; Triberti, Stefano; Dakanalis, Antonios; Pallavicini, Federica; Chirico, Alice; Riva, Giuseppe (2016). "Virtual Reality Body Swapping: A Tool for Modifying the Allocentric Memory of the Body". *Cyberpsychology, Behavior and Social Networking* **19** (2): 127–133. doi:10.1089/cyber.2015.0229. ISSN 2152-2723. PMID 26506136.
31. Cash, T. F.; Deagle, E. A. (1997). "The nature and extent of body-image disturbances in anorexia nervosa and bulimia nervosa: a meta-analysis". *The International Journal of Eating Disorders* **22** (2): 107–125. doi:10.1002/(SICI)1098-108X(199709)22:2<107::AID-EAT1>3.0.CO;2-J. ISSN 0276-3478. PMID 9261648.
32. Mitchison, Deborah; Hay, Phillipa; Griffiths, Scott; Murray, Stuart B.; Bentley, Caroline; Gratwick-Sarll, Kassandra; Harrison, Carmel; Mond, Jonathan (2017). "Disentangling body image: The relative associations of overvaluation, dissatisfaction, and preoccupation with psychological distress and eating disorder behaviors in male and female adolescents". *International Journal of Eating Disorders* **50** (2): 118–126. doi:10.1002/eat.22592. ISSN 1098-108X. PMID 27539911. PMC 6585604.
33. Keizer, Anouk; Smeets, Monique Aldegonda Maria; Dijkerman, Hendrik Christiaan; Van Den Hout, Marcel; Klugkist, Irene; Van Elburg, Annemarie; Postma, Albert (2011-11-30). "Tactile body image disturbance in anorexia nervosa". *Psychiatry Research* **190** (1): 115–120. doi:10.1016/j.psychres.2011.04.031. ISSN 0165-1781. PMID 21621275.
34. Naraindas, Akansha M.; Moreno, Marina; Cooney, Sarah M. (2024-01). "Beyond Gender: Interoceptive Sensibility as a Key Predictor of Body Image Disturbances". *Behavioral Sciences* **14** (1): 25. doi:10.3390/bs14010025. ISSN 2076-328X.
35. Lucherini Angeletti, Lorenzo; Innocenti, Matteo; Felciai, Federica; Ruggeri, Emanuele; Cassioli, Emanuele; Rossi, Eleonora; Rotella, Francesco; Castellini, Giovanni et al. (2022). "Anorexia nervosa as a disorder of the subcortical—cortical interoceptive-self". *Eating and Weight Disorders* **27** (8): 3063–3081. doi:10.1007/s40519-022-01510-7. ISSN 1124-4909. PMID 36355249. PMC 9803759.
36. Stice, Eric; Desjardins, Christopher D. (2018). "Interactions between risk factors in the prediction of onset of eating disorders: Exploratory hypothesis generating analyses". *Behaviour Research and Therapy* **105**: 52–62. doi:10.1016/j.brat.2018.03.005. ISSN 1873-622X. PMID 29653254. PMC 5929474.
37. Tabri, N.; Murray, H. B.; Thomas, J. J.; Franko, D. L.; Herzog, D. B.; Eddy, K. T. (2015). "Overvaluation of body shape/weight and engagement in non-compensatory weight-control behaviors in eating disorders: is there a reciprocal relationship?". *Psychological Medicine* **45** (14): 2951–2958. doi:10.1017/S0033291715000896. ISSN 0033-2917. PMID 25994276.
38. Amianto, F.; Spalatro, A.; Ottone, L.; Abbate Daga, G.; Fassino, S. (2017). "Naturalistic follow-up of subjects affected with anorexia nervosa 8 years after multimodal treatment: Personality and psychopathology changes and predictors of outcome". *European Psychiatry: The Journal of the Association of European Psychiatrists* **45**: 198–206. doi:10.1016/j.eurpsy.2017.07.012. ISSN 1778-3585. PMID 28957787.
39. Keel, Pamela K.; Dorer, David J.; Franko, Debra L.; Jackson, Safia C.; Herzog, David B. (2005). "Postremission predictors of relapse in women with eating disorders". *The American Journal of Psychiatry* **162** (12): 2263–2268. doi:10.1176/appi.ajp.162.12.2263. ISSN 0002-953X. PMID 16330589.
40. Glashouwer, Klaske A.; Van Der Veer, Roosmarijn M.L.; Adipatria, Fayandya; De Jong, Peter J.; Vocks, Silja (2019-12-01). "The role of body image disturbance in the onset, maintenance, and relapse of anorexia nervosa: A systematic review". *Clinical Psychology Review* **74**: 101771. doi:10.1016/j.cpr.2019.101771. ISSN 0272-7358. PMID 31751876.
41. Prnjak, Katarina; Jukic, Ivan; Mitchison, Deborah; Griffiths, Scott; Hay, Phillipa (2022-09). "Body image as a multidimensional concept: A systematic review of body image facets in eating disorders and muscle dysmorphia". *Body Image* **42**: 347–360. doi:10.1016/j.bodyim.2022.07.006. ISSN 1873-6807. PMID 35926364.
42. Ekstrom, Arne D.; Arnold, Aiden E. G. F.; Iaria, Giuseppe (2014). "A critical review of the allocentric spatial representation and its neural underpinnings: toward a network-based perspective". *Frontiers in Human Neuroscience* **8**. doi:10.3389/fnhum.2014.00803. ISSN 1662-5161.
43. Øverås, Maria; Kapstad, Hilde; Brunborg, Cathrine; Landrø, Nils Inge; Lask, Bryan (2014). "Memory versus perception of body size in patients with anorexia nervosa and healthy controls". *European Eating Disorders Review: The Journal of the Eating Disorders Association* **22** (2): 109–115. doi:10.1002/erv.2276. ISSN 1099-0968. PMID 24590562.
44. "Thoughts about eating, weight and shape in anorexia nervosa and bulimia nervosa". *Behaviour Research and Therapy* **30** (5): 501–511. 1992-09-01. doi:10.1016/0005-7967(92)90034-E. ISSN 0005-7967.
45. Treasure, Janet; Schmidt, Ulrike (2013-04-15). "The cognitive-interpersonal maintenance model of anorexia nervosa revisited: a summary of the evidence for cognitive, socio-emotional and interpersonal predisposing and perpetuating factors". *Journal of Eating Disorders* **1**: 13. doi:10.1186/2050-2974-1-13. ISSN 2050-2974. PMID 24999394. PMC 4081714.
46. Madowitz, Jennifer; Matheson, Brittany E.; Liang, June (2015). "The relationship between eating disorders and sexual trauma". *Eating and weight disorders: EWD* **20** (3): 281–293. doi:10.1007/s40519-015-0195-y. ISSN 1590-1262. PMID 25976911.
47. "How Specific Are Body Image Disturbances in Patients With Anorexia Nervosa?", *Eating Disorders in Adolescence*, De Gruyter, pp. 145–160, 1995-12-31, ISBN 978-3-11-080853-7, retrieved 2021-08-09

48. Levinson, Cheri A.; Rapp, John; Riley, Elizabeth N. (2014-12-01). "Addressing the fear of fat: extending imaginal exposure therapy for anxiety disorders to anorexia nervosa". *Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity* **19** (4): 521–524. doi:10.1007/s40519-014-0115-6. ISSN 1590-1262. PMID 24691784. PMC PMC4183728.
49. Goss, Kenneth; Allan, Steven (2009). "Shame, pride and eating disorders". *Clinical Psychology & Psychotherapy* **16** (4): 303–316. doi:10.1002/cpp.627. ISSN 1099-0879. PMID 19639646.
50. Espeset, Ester M. S.; Gulliksen, Kjersti S.; Nordbø, Ragnfrid H. S.; Skårderud, Finn; Holte, Arne (2012). "The Link Between Negative Emotions and Eating Disorder Behaviour in Patients with Anorexia Nervosa". *European Eating Disorders Review* **20** (6): 451–460. doi:10.1002/erv.2183. ISSN 1099-0968.
51. Daniels, Elizabeth A.; Zurbriggen, Eileen L.; Monique Ward, L. (2020). "Becoming an object: A review of self-objectification in girls". *Body Image* **33**: 278–299. doi:10.1016/j.bodyim.2020.02.016. ISSN 1873-6807. PMID 32470822.
52. "Body checking and avoidance in low weight and weight restored individuals with anorexia nervosa and non-clinical females". *Eating Behaviors* **15** (1): 5–8. 2014-01-01. doi:10.1016/j.eatbeh.2013.10.011. ISSN 1471-0153.
53. Nikodijevic, Alexandra; Buck, Kimberly; Fuller-Tyszkiewicz, Matthew; de Paoli, Tara; Krug, Isabel (2018). "Body checking and body avoidance in eating disorders: Systematic review and meta-analysis". *European Eating Disorders Review: The Journal of the Eating Disorders Association* **26** (3): 159–185. doi:10.1002/erv.2585. ISSN 1099-0968. PMID 29528168.
54. Badoud, Deborah; Tsakiris, Manos (2017). "From the body's viscera to the body's image: Is there a link between interoception and body image concerns?". *Neuroscience and Biobehavioral Reviews* **77**: 237–246. doi:10.1016/j.neubiorev.2017.03.017. ISSN 1873-7528. PMID 28377099.
55. Engel, Manja M.; van Denderen, Karlien; Bakker, Anne-Richtje; Corcoran, Andrew W.; Keizer, Anouk; Dijkerman, H. Chris (2020). "Anorexia nervosa and the size-weight illusion: No evidence of impaired visual-haptic object integration". *PLoS One* **15** (8): e0237421. doi:10.1371/journal.pone.0237421. ISSN 1932-6203. PMID 32853272. PMC 7451544.
56. Wei., Li. *Visual processing abnormalities in anorexia nervosa and body dysmorphic disorder*. OCLC 1237663432.
57. Uher, Rudolf; Murphy, Tara; Friederich, Hans-Christoph; Dalglish, Tim; Brammer, Michael J.; Giampietro, Vincent; Phillips, Mary L.; Andrew, Christopher M. *et al.* (2005). "Functional Neuroanatomy of Body Shape Perception in Healthy and Eating-Disordered Women". *Biological Psychiatry* **58** (12): 990–997. doi:10.1016/j.biopsych.2005.06.001. ISSN 0006-3223.
58. Grunwald, Martin; Ettrich, Christine; Assmann, Bianka; Dähne, Angelika; Krause, Werner; Busse, Frank; Gertz, Hermann-Joseph (2001-03-28). "Deficits in haptic perception and right parietal theta power changes in patients with anorexia nervosa before and after weight gain". *International Journal of Eating Disorders* **29** (4): 417–428. doi:10.1002/eat.1038. ISSN 0276-3478.
59. Keizer, Anouk; Smeets, Monique Aldegonda Maria; Dijkerman, Hendrik Christiaan; van den Hout, Marcel; Klugkist, Irene; van Elburg, Annemarie; Postma, Albert (2011-11-30). "Tactile body image disturbance in anorexia nervosa". *Psychiatry Research* **190** (1): 115–120. doi:10.1016/j.psychres.2011.04.031. ISSN 0165-1781. PMID 21621275.
60. Crucianelli, Laura; Cardi, Valentina; Treasure, Janet; Jenkinson, Paul M.; Fotopoulou, Aikaterini (2016-05-30). "The perception of affective touch in anorexia nervosa". *Psychiatry Research* **239**: 72–78. doi:10.1016/j.psychres.2016.01.078. ISSN 1872-7123. PMID 27137964.
61. Beckmann, Nina; Baumann, Patricia; Herpertz, Stephan; Trojan, Jörg; Diers, Martin (2021). "How the unconscious mind controls body movements: Body schema distortion in anorexia nervosa". *International Journal of Eating Disorders* **54** (4): 578–586. doi:10.1002/eat.23451. ISSN 1098-108X.
62. Irvine, Kamila R.; McCarty, Kristofor; McKenzie, Kirsten J.; Pollet, Thomas V.; Cornelissen, Katri K.; Tovée, Martin J.; Cornelissen, Piers L. (2019). "Distorted body image influences body schema in individuals with negative bodily attitudes". *Neuropsychologia* **122**: 38–50. doi:10.1016/j.neuropsychologia.2018.11.015. ISSN 1873-3514. PMID 30500663.
63. Engel, Manja M.; Keizer, Anouk (2017-11-23). "Body representation disturbances in visual perception and affordance perception persist in eating disorder patients after completing treatment". *Scientific Reports* **7** (1): 16184. doi:10.1038/s41598-017-16362-w. ISSN 2045-2322.
64. Craig, A. D. (2002). "How do you feel? Interoception: the sense of the physiological condition of the body". *Nature Reviews Neuroscience* **3** (8): 655–666. doi:10.1038/nrn894. ISSN 1471-003X.
65. Jacquemot, Aimée Margarita Marisol Catherine; Park, Rebecca (2020). "The Role of Interoception in the Pathogenesis and Treatment of Anorexia Nervosa: A Narrative Review". *Frontiers in Psychiatry* **11**: 281. doi:10.3389/fpsy.2020.00281. ISSN 1664-0640. PMID 32362843. PMC 7181672.
66. Sattler, Frank A.; Eickmeyer, Sarah; Eisenkolb, Julia (2019-06-08). "Body image disturbance in children and adolescents with anorexia nervosa and bulimia nervosa: a systematic review". *Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity* **25** (4): 857–865. doi:10.1007/s40519-019-00725-5. ISSN 1590-1262. PMID 31177379.
67. Fuchs, Thomas (2022-02). "The disappearing body: anorexia as a conflict of embodiment". *Eating and weight disorders: EWD* **27** (1): 109–117. doi:10.1007/s40519-021-01122-7. ISSN 1590-1262. PMID 33666885. PMC 8860785.
68. Rierdan, J.; Koff, E. (1980). "Representation of the female body by early and late adolescent girls". *Journal of Youth and Adolescence* **9** (4): 339–346. doi:10.1007/BF02087985. ISSN 0047-2891. PMID 24318155.
69. Carlson Jones, Diane (2004). "Body Image Among Adolescent Girls and Boys: A Longitudinal Study". *Developmental Psychology* **40** (5): 823–835. doi:10.1037/0012-1649.40.5.823. ISSN 1939-0599. PMID 15355169.
70. Stice, Eric; Gau, Jeff M.; Rohde, Paul; Shaw, Heather (2017). "Risk factors that predict future onset of each DSM-5 eating disorder: Predictive specificity in high-risk adolescent females". *Journal of Abnormal Psychology* **126** (1): 38–51. doi:10.1037/abn0000219. ISSN 1939-1846. PMID 27709979. PMC 5215960.
71. McLean, Siân A.; Paxton, Susan J.; Wertheim, Eleanor H.; Masters, Jennifer (2015-12). "Photoshopping the selfie: Self photo editing and photo investment are associated with body dissatisfaction in adolescent girls". *International Journal of Eating Disorders* **48** (8): 1132–1140. doi:10.1002/eat.22449. ISSN 0276-3478.
72. Tiggemann, M.; Pickering, A. S. (1996-09). "Role of television in adolescent women's body dissatisfaction and drive for thinness". *The International Journal of Eating Disorders* **20** (2): 199–203. doi:10.1002/(SICI)1098-108X(199609)20:2<199::AID-EAT11>3.0.CO;2-Z. ISSN 0276-3478. PMID 8863073.
73. Chang, Fong-Ching; Lee, Ching-Mei; Chen, Ping-Hung; Chiu, Chiung-Hui; Pan, Yun-Chieh; Huang, Tzu-Fu (2013-08-01). "Association of thin-ideal media exposure, body dissatisfaction and disordered eating behaviors among adolescents in Taiwan". *Eating Behaviors* **14** (3): 382–385. doi:10.1016/j.eatbeh.2013.05.002. ISSN 1471-0153.

74. Mond, Jonathan; van den Berg, Patricia; Boutelle, Kerri; Hannan, Peter; Neumark-Sztainer, Dianne (2011-04). "Obesity, body dissatisfaction, and emotional well-being in early and late adolescence: findings from the project EAT study". *The Journal of Adolescent Health: Official Publication of the Society for Adolescent Medicine* **48** (4): 373–378. doi:10.1016/j.jadohealth.2010.07.022. ISSN 1879-1972. PMID 21402266. PMC 3214691.
75. Miles, Helen; MacLeod, Andrew K.; Pote, Helen (2004-12). "Retrospective and prospective cognitions in adolescents: anxiety, depression, and positive and negative affect". *Journal of Adolescence* **27** (6): 691–701. doi:10.1016/j.adolescence.2004.04.001. ISSN 0140-1971. PMID 15561311.
76. Fallon, Elizabeth A.; Harris, Brandon S.; Johnson, Paige (2014-01-01). "Prevalence of body dissatisfaction among a United States adult sample". *Eating Behaviors* **15** (1): 151–158. doi:10.1016/j.eatbeh.2013.11.007. ISSN 1471-0153.
77. Ralph-Nearman, Christina; Arevian, Armen C.; Moseman, Scott; Sinik, Megan; Chappelle, Sheridan; Feusner, Jamie D.; Khalsa, Sahib S. (2021-06-10). "Visual mapping of body image disturbance in anorexia nervosa reveals objective markers of illness severity". *Scientific Reports* **11** (1): 12262. doi:10.1038/s41598-021-90739-w. ISSN 2045-2322. PMID 34112818. PMC 8192536.
78. Michael, Shannon L.; Wentzel, Kathryn; Elliott, Marc N.; Dittus, Patricia J.; Kanouse, David E.; Wallander, Jan L.; Pasch, Keryn E.; Franzini, Luisa et al. (2014-01-01). "Parental and Peer Factors Associated with Body Image Discrepancy among Fifth-Grade Boys and Girls". *Journal of Youth and Adolescence* **43** (1): 15–29. doi:10.1007/s10964-012-9899-8. ISSN 1573-6601. PMID 23334988. PMC 4835178.
79. Derenne, Jennifer L.; Beresin, Eugene V. (2006-05-01). "Body Image, Media, and Eating Disorders". *Academic Psychiatry* **30** (3): 257–261. doi:10.1176/appi.ap.30.3.257. ISSN 1545-7230. PMID 16728774.
80. Austin, S. Bryn; Haines, Jess; Veugelers, Paul J. (2009-08-27). "Body satisfaction and body weight: gender differences and sociodemographic determinants". *BMC Public Health* **9** (1): 313. doi:10.1186/1471-2458-9-313. ISSN 1471-2458. PMID 19712443. PMC 2740850.
81. Rounsefell, Kim; Gibson, Simone; McLean, Siân; Blair, Merran; Molenaar, Annika; Brennan, Linda; Truby, Helen; McCaffrey, Tracy A. (2020). "Social media, body image and food choices in healthy young adults: A mixed methods systematic review". *Nutrition & Dietetics: The Journal of the Dietitians Association of Australia* **77** (1): 19–40. doi:10.1111/1747-0080.12581. ISSN 1747-0080. PMID 31583837. PMC 7384161.
82. Schaefer, Lauren M.; Harriger, Jennifer A.; Heinberg, Leslie J.; Soderberg, Taylor; Thompson, J. Kevin (2017). "Development and validation of the sociocultural attitudes towards appearance questionnaire-4-revised (SATAQ-4R)". *International Journal of Eating Disorders* **50** (2): 104–117. doi:10.1002/eat.22590. ISSN 1098-108X. PMID 27539814.
83. Coker, Elise; Abraham, Suzanne (2014-08-01). "Body weight dissatisfaction: A comparison of women with and without eating disorders". *Eating Behaviors* **15** (3): 453–459. doi:10.1016/j.eatbeh.2014.06.014. ISSN 1471-0153. PMID 25064299.
84. Marzola, Enrica; Panero, Matteo; Cavallo, Fabio; Delsedime, Nadia; Abbate-Daga, Giovanni (2020-01-31). "Body shape in inpatients with severe anorexia nervosa". *European Psychiatry: The Journal of the Association of European Psychiatrists* **63** (1): e2. doi:10.1192/j.eurpsy.2019.5. ISSN 1778-3585. PMID 32093789. PMC 7315881.
85. "Obsessive-Compulsive and Related Disorders", *Diagnostic and Statistical Manual of Mental Disorders, DSM Library, American Psychiatric Association, 2013-05-22*, doi:10.1176/appi.books.9780890425596.dsm06, ISBN 978-0-89042-555-8, retrieved 2021-08-03
86. Ahluwalia, Rajiv; Bhatia, Navneet Kaur; Kumar, Priyanka Sethi; Kaur, Parvinder (2017). "Body dysmorphic disorder: Diagnosis, clinical aspects and treatment strategies". *Indian Journal of Dental Research: Official Publication of Indian Society for Dental Research* **28** (2): 193–197. doi:10.4103/ijdr.IJDR_669_15. ISSN 1998-3603. PMID 28611331.
87. Phillipou, Andrea; Castle, David Jonathan; Rossell, Susan Lee (2019). "Direct comparisons of anorexia nervosa and body dysmorphic disorder: A systematic review". *Psychiatry Research* **274**: 129–137. doi:10.1016/j.psychres.2019.01.106. ISSN 1872-7123. PMID 30784781.
88. Grant, Jon E.; Kim, Suck Won; Eckert, Elke D. (2002). "Body dysmorphic disorder in patients with anorexia nervosa: prevalence, clinical features, and delusional body image". *The International Journal of Eating Disorders* **32** (3): 291–300. doi:10.1002/eat.10091. ISSN 0276-3478. PMID 12210643.
89. Cerea, Silvia; Bottesi, Gioia; Grisham, Jessica R.; Ghisi, Marta (2018). "Non-weight-related body image concerns and Body Dysmorphic Disorder prevalence in patients with Anorexia Nervosa". *Psychiatry Research* **267**: 120–125. doi:10.1016/j.psychres.2018.05.068. ISSN 1872-7123. PMID 29886274.
90. Rosen, J. C.; Ramirez, E. (1998). "A comparison of eating disorders and body dysmorphic disorder on body image and psychological adjustment". *Journal of Psychosomatic Research* **44** (3–4): 441–449. doi:10.1016/s0022-3999(97)00269-9. ISSN 0022-3999. PMID 9587886.
91. Hartmann, Andrea S.; Thomas, Jennifer J.; Greenberg, Jennifer L.; Matheny, Natalie L.; Wilhelm, Sabine (2014). "A comparison of self-esteem and perfectionism in anorexia nervosa and body dysmorphic disorder". *The Journal of Nervous and Mental Disease* **202** (12): 883–888. doi:10.1097/NMD.0000000000000215. ISSN 1539-736X. PMID 25390930.
92. Kollei, Ines; Brunhoeber, Stefan; Rauh, Elisabeth; de Zwaan, Martina; Martin, Alexandra (2012). "Body image, emotions and thought control strategies in body dysmorphic disorder compared to eating disorders and healthy controls". *Journal of Psychosomatic Research* **72** (4): 321–327. doi:10.1016/j.jpsychores.2011.12.002. ISSN 1879-1360. PMID 22405229.
93. Hartmann, Andrea S.; Thomas, Jennifer J.; Greenberg, Jennifer L.; Matheny, Natalie L.; Wilhelm, Sabine (2015). "Erratum. A Comparison of Self-Esteem and Perfectionism in Anorexia Nervosa and Body Dysmorphic Disorder". *Journal of Nervous & Mental Disease* **203** (6): 484. doi:10.1097/nmd.0000000000000307. ISSN 0022-3018.
94. Harrison, Amy; Tchanturia, Kate; Treasure, Janet (2011-05-09). "Measuring state trait properties of detail processing and global integration ability in eating disorders". *The World Journal of Biological Psychiatry* **12** (6): 462–472. doi:10.3109/15622975.2010.551666. ISSN 1562-2975. PMID 21554026.
95. D, Rangaprakash (2018-01-01). "Aberrant Dynamic Connectivity for Fear Processing in Anorexia Nervosa and Body Dysmorphic Disorder". *Frontiers in Psychiatry (eScholarship, University of California)* **9**: 273. doi:10.3389/fpsy.2018.00273. OCLC 1163669037. PMID 29997532. PMC 6028703.
96. Li, W.; Lai, T. M.; Bohon, C.; Loo, S. K.; McCurdy, D.; Strober, M.; Bookheimer, S.; Feusner, J. (2015-02-05). "Anorexia nervosa and body dysmorphic disorder are associated with abnormalities in processing visual information". *Psychological Medicine* **45** (10): 2111–2122. doi:10.1017/s0033291715000045. ISSN 0033-2917. PMID 25652023. PMC 4898970.

97. Toh, Wei Lin; Grace, Sally A; Rossell, Susan L; Castle, David J; Phillipou, Andrea (2019-04-01). "Body parts of clinical concern in anorexia nervosa versus body dysmorphic disorder: a cross-diagnostic comparison". *Australasian Psychiatry* **28** (2): 134–139. doi:10.1177/1039856219839477. ISSN 1039-8562.
98. Smink, Frédérique R. E.; van Hoeken, Daphne; Hoek, Hans W. (2012). "Epidemiology of eating disorders: incidence, prevalence and mortality rates". *Current Psychiatry Reports* **14** (4): 406–414. doi:10.1007/s11920-012-0282-y. ISSN 1535-1645. PMID 22644309. PMC 3409365.
99. Bjornsson, Andri S.; Didie, Elizabeth R.; Phillips, Katharine A. (2010). "Body dysmorphic disorder". *Dialogues in Clinical Neuroscience* **12** (2): 221–232. doi:10.31887/DCNS.2010.12.2/bjornsson. ISSN 1294-8322. PMID 20623926. PMC 3181960.
100. Andri S. Bjornsson, Elizabeth R. Didie, Katharine A. Phillips "Body dysmorphic disorder". *Obsessive-Compulsive Spectrum Disorders* **12** (2): 221–232. 2010. doi:10.31887/DCNS.2010.12.2/bjornsson. ISSN 2608-3477. PMID 20623926. PMC 3181960.
101. Beckmann, Nina; Baumann, Patricia; Herpertz, Stephan; Trojan, Jörg; Diers, Martin (2021). "How the unconscious mind controls body movements: Body schema distortion in anorexia nervosa". *The International Journal of Eating Disorders* **54** (4): 578–586. doi:10.1002/eat.23451. ISSN 1098-108X. PMID 33345338.
102. Gadsby, Stephen (2017). "Distorted body representations in anorexia nervosa". *Consciousness and Cognition* **51**: 17–33. doi:10.1016/j.concog.2017.02.015. ISSN 1090-2376. PMID 28284109.
103. Keizer, Anouk; Smeets, Monique Aldegonda Maria; Dijkerman, Hendrik Christiaan; van den Hout, Marcel; Klugkist, Irene; van Elburg, Annemarie; Postma, Albert (2011-11-30). "Tactile body image disturbance in anorexia nervosa". *Psychiatry Research* **190** (1): 115–120. doi:10.1016/j.psychres.2011.04.031. ISSN 0165-1781. PMID 21621275.
104. Crucianelli, Laura; Cardi, Valentina; Treasure, Janet; Jenkinson, Paul M.; Fotopoulou, Aikaterini (2016-05-30). "The perception of affective touch in anorexia nervosa". *Psychiatry Research* **239**: 72–78. doi:10.1016/j.psychres.2016.01.078. ISSN 1872-7123. PMID 27137964.
105. Jacquemot, Aimée Margarita Marisol Catherine; Park, Rebecca (2020). "The Role of Interoception in the Pathogenesis and Treatment of Anorexia Nervosa: A Narrative Review". *Frontiers in Psychiatry* **11**: 281. doi:10.3389/fpsy.2020.00281. ISSN 1664-0640. PMID 32362843. PMC 7181672.
106. Clausen, Loa; Rosenvinge, Jan H.; Friborg, Oddgeir; Rokkedal, Kristian (2011). "Validating the Eating Disorder Inventory-3 (EDI-3): A Comparison Between 561 Female Eating Disorders Patients and 878 Females from the General Population". *Journal of Psychopathology and Behavioral Assessment* **33** (1): 101–110. doi:10.1007/s10862-010-9207-4. ISSN 0882-2689. PMID 21472023. PMC 3044826.
107. Cuzzolaro, M.; Vetrone, G.; Marano, G.; Garfinkel, P. E. (2006). "The Body Uneasiness Test (BUT): development and validation of a new body image assessment scale". *Eating and Weight Disorders: EWD* **11** (1): 1–13. doi:10.1007/BF03327738. ISSN 1590-1262. PMID 16801740.
108. Cash, Thomas F.; Phillips, Katharine A.; Santos, Melanie T.; Hrabosky, Joshua I. (2004-12-01). "Measuring "negative body image": validation of the Body Image Disturbance Questionnaire in a non-clinical population". *Body Image* **1** (4): 363–372. doi:10.1016/j.bodyim.2004.10.001. ISSN 1740-1445.
109. Cooper, Peter J.; Taylor, Melanie J.; Cooper, Zafra; Fairburn, Christopher G. (1987). "The development and validation of the body shape questionnaire". *International Journal of Eating Disorders* **6** (4): 485–494. doi:10.1002/1098-108X(198707)6:4<485::AID-EAT2260060405>3.0.CO;2-O. ISSN 1098-108X.
110. Reas, Deborah L.; White, Marney A.; Grilo, Carlos M. (2006-05). "Body Checking Questionnaire: psychometric properties and clinical correlates in obese men and women with binge eating disorder". *The International Journal of Eating Disorders* **39** (4): 326–331. doi:10.1002/eat.20236. ISSN 0276-3478. PMID 16528695.
111. Gaudio, S.; Quattrocchi, C. (2012). "Neural basis of a multidimensional model of body image distortion in anorexia nervosa". *Neuroscience & Biobehavioral Reviews* **36** (8): 1839–1847. doi:10.1016/j.neubiorev.2012.05.003. PMID 22613629.
112. Murphy, Rebecca; Straebl, Suzanne; Cooper, Zafra; Fairburn, Christopher G. (2010). "Cognitive behavioral therapy for eating disorders". *The Psychiatric Clinics of North America* **33** (3): 611–627. doi:10.1016/j.psc.2010.04.004. ISSN 1558-3147. PMID 20599136. PMC 2928448.
113. Atwood, Molly E.; Friedman, Aliza (2020). "A systematic review of enhanced cognitive behavioral therapy (CBT-E) for eating disorders". *The International Journal of Eating Disorders* **53** (3): 311–330. doi:10.1002/eat.23206. ISSN 1098-108X. PMID 31840285.
114. Atwood, Molly E.; Friedman, Aliza (2020). "A systematic review of enhanced cognitive behavioral therapy (CBT-E) for eating disorders". *International Journal of Eating Disorders* **53** (3): 311–330. doi:10.1002/eat.23206. ISSN 1098-108X.
115. "APA PsycNet". *psycnet.apa.org*. Retrieved 2021-08-03.
116. Mountford, Victoria A.; Brown, Amy; Bamford, Bryony; Saeidi, Saeideh; Morgan, John F.; Lacey, Hubert (2015). "BodyWise: evaluating a pilot body image group for patients with anorexia nervosa". *European Eating Disorders Review: The Journal of the Eating Disorders Association* **23** (1): 62–67. doi:10.1002/erv.2332. ISSN 1099-0968. PMID 25382845.
117. Stice, Eric; Rohde, Paul; Shaw, Heather (2013). *The Body Project: A Dissonance-Based Eating Disorder Prevention Intervention* (in en-US). Oxford University Press. doi:10.1093/med-psych/9780199859245.001.0001. ISBN 978-0-19-023065-4.
118. Stice, Eric; Marti, C. Nathan; Spoor, Sonja; Presnell, Katherine; Shaw, Heather (2008). "Dissonance and Healthy Weight Eating Disorder Prevention Programs: Long-Term Effects from a Randomized Efficacy Trial". *Journal of Consulting and Clinical Psychology* **76** (2): 329–340. doi:10.1037/0022-006X.76.2.329. ISSN 0022-006X. PMID 18377128. PMC 2677629.
119. Moreno-Domínguez, Silvia; Rodríguez-Ruiz, Sonia; Fernández-Santaella, M. Carmen; Jansen, Anita; Tuschen-Caffier, Brunna (2012). "Pure versus guided mirror exposure to reduce body dissatisfaction: a preliminary study with university women". *Body Image* **9** (2): 285–288. doi:10.1016/j.bodyim.2011.12.001. ISSN 1873-6807. PMID 22244836.
120. Luethcke, Cynthia A.; McDaniel, Leda; Becker, Carolyn Black (2011). "A comparison of mindfulness, nonjudgmental, and cognitive dissonance-based approaches to mirror exposure". *Body Image* **8** (3): 251–258. doi:10.1016/j.bodyim.2011.03.006. ISSN 1873-6807. PMID 21561817.
121. Key, Adrienne; George, C. Louise; Beattie, Desley; Stammers, Kate; Lacey, Hubert; Waller, Glenn (2002). "Body image treatment within an inpatient program for anorexia nervosa: the role of mirror exposure in the desensitization process". *The International Journal of Eating Disorders* **31** (2): 185–190. doi:10.1002/eat.10027. ISSN 0276-3478. PMID 11920979.
122. Griffen, Trevor C.; Naumann, Eva; Hildebrandt, Tom (2018). "Mirror exposure therapy for body image disturbances and eating disorders: A review". *Clinical Psychology Review* **65**: 163–

174. doi:10.1016/j.cpr.2018.08.006. ISSN 1873-7811.
PMID 30223161.

123. Keizer, Anouk; van Elburg, Annemarie; Helms, Rossa; Dijkerman, H. Chris (2016). "A Virtual Reality Full Body Illusion Improves Body Image Disturbance in Anorexia Nervosa". *PLOS ONE* **11** (10): e0163921. doi:10.1371/journal.pone.0163921. ISSN 1932-6203. PMID 27711234. PMC 5053411.

124. Keizer, Anouk; Elburg, Annemarie van; Helms, Rossa; Dijkerman, H. Chris (2016-10-06). "A Virtual Reality Full Body Illusion Improves Body Image Disturbance in Anorexia Nervosa". *PLOS ONE* **11** (10): e0163921. doi:10.1371/journal.pone.0163921. ISSN 1932-6203. PMID 27711234. PMC 5053411.

125. Choquette, Emily M.; Flux, Michael C.; Moseman, Scott E.; Chappelle, Sheridan; Naegle, Jessyca; Upshaw, Valerie; Morton, Alexa; Paulus, Martin P. *et al.* (2023-10). "The impact of floatation therapy on body image and anxiety in anorexia nervosa: a randomised clinical efficacy trial". *EClinicalMedicine* **64**: 102173. doi:10.1016/j.eclinm.2023.102173. ISSN 2589-5370. PMID 37936658.